

PUBLICATIONS

(Selected for past 15 years, last updated 4/2021)

MICHAEL KAHNERT

<https://orcid.org/0000-0001-5695-1356>

Swedish Meteorological and Hydrological Institute, Research Department
and
Chalmers University of Technology, Department of Earth and Space Science

PEER-REVIEWED ARTICLES IN INTERNATIONAL JOURNALS

1. **M. Kahnert** and F. Kanngießer, "Aerosol optics model for black carbon applicable to remote sensing, chemical data assimilation, and climate modelling", *Opt. Express* **29**, 10639-10658, 2021.
2. F. Kanngießer and **M. Kahnert**, "Modeling Optical Properties of Non-Cubical Sea-Salt Particles", *J. Geophys. Res.* **126**, e2020JD033674, 2021.
3. **M. Kahnert**, F. Kanngießer, E. Järvinen, and M. Schnaiter, "Aerosol-optics model for the backscatter depolarisation ratio of mineral dust particles", *J. Quant. Spectrosc. Radiat. Transfer* **254**, 107177, 2020.
4. **M. Kahnert** and F. Kanngießer, "Modelling optical properties of atmospheric black carbon aerosols", *J. Quant. Spectrosc. Radiat. Transfer* **244**, 106849, 2020.
5. **M. Kahnert** and T. Rother, "Convergence of the iterative T-matrix method", *Opt. Express* **28**, 28269-28282, 2020.
6. F. Kanngießer and **M. Kahnert**, "Coating material-dependent differences in modelled lidar-measurable quantities for heavily coated soot particles", *Opt. Express* **27**, 36368-36387, 2019.
7. **M. Kahnert** and R. Scheirer, "Multiple scattering by aerosols as seen from CALIPSO - a Monte-Carlo modelling study", *Opt. Express* **27**, 33684-33700, 2019.
8. **M. Kahnert**, "Information constraints in variational data assimilation", *Q. J. Roy. Meteorol. Soc.* **144**, 2230-2244, 2018.
9. F. Kanngießer and **M. Kahnert**, "Calculation of optical properties of light-absorbing carbon with weakly absorbing coating: A model with tunable transition from film-coating to spherical-shell coating", *J. Quant. Spectrosc. Radiat. Transfer* **216**, 17-36, 2018.
10. P. Haapanala, P. Räisänen, P. McFarquhar, J. Tiira, A. Macke, **M. Kahnert**, J. DeVore, and T. Nousiainen, "Disk and circumsolar radiances in the presence of ice clouds", *Atmos. Chem. Phys.* **17**, 6865-6882, 2017.
11. **M. Kahnert** and E. Andersson, "How much information do extinction and backscattering measurements contain about the chemical composition of atmospheric aerosol?", *Atmos.*

Chem. Phys. **17**, 3423-3444, 2017.

12. **M. Kahnert**, “Optical properties of black carbon aerosols encapsulated in a shell of sulfate: comparison of the closed cell model with a coated aggregate model”, *Opt. Express* **25**, 24579-24593, 2017.
13. **M. Kahnert**, T. Nousiainen, and J. Markkanen, “Morphological models for inhomogeneous particles: light scattering by aerosols, cometary dust, and living cells”, *Light Scatt. Rev.* **11**, 299-337 2016.
14. J. D. Silver, J. H. Christensen, **M. Kahnert**, L. Robertson, P. J. Reyner, and J. Brandt, “Multi-species chemical data assimilation with the Danish Eulerian hemispheric model: system description and verification”, *J. Atmos. Chem.* **73**, 261-302, 2016.
15. **M. Kahnert**, “Numerical solutions of the macroscopic Maxwell equations for scattering by non-spherical particles: A tutorial review”, *J. Quant. Spectrosc. Radiat. Transfer* **178**, 22-37, 2016.
16. E. Andersson and **M. Kahnert**, “Coupling aerosol optics to the MATCH (v5.5.0) chemical transport model and the SALSA (v1) aerosol microphysics module”, *Geosci. Model Dev.* **9**, 1803-1826, 2016.
17. **M. Kahnert**. “Modelling radiometric properties of inhomogeneous mineral dust particles: Applicability and limitations of effective medium theories.” *J. Quant. Spectrosc. Radiat. Transfer* **152**, 16-27, 2015.
18. M. A. Thomas, **M. Kahnert**, C. Andersson, H. Kokkola, U. Hansson, C. Jones, J. Langner, and A. Devasthale. “Integration of prognostic aerosol-cloud interactions in a chemistry transport model coupled offline to a regional climate model”, *Geosci. Model Dev.* **8**, 1885-1898, 2015.
19. E. Andersson, **M. Kahnert**, and A. Devasthale, “Methodology for evaluating lateral boundary conditions in the regional chemical transport model MATCH (v5.5.0) using combined satellite and ground-based observations”, *Geosci. Model Dev.* **8**, 3747-3763, 2015.
20. S. Burton, J. Hair, **M. Kahnert**, R. A. Ferrare, C. A. Hostetler, A. L. Cook, D. B. Harper, T. A. Berkoff, S. T. Seaman, J. E. Collins, M. A. Fenn, and R. R. Rogers, “Observations of the spectral dependence of linear particle depolarization ratio of aerosols using NASA Langley airborne High Spectral Resolution Lidar”, *Atmos. Chem. Phys.* **15**, 13453-13473, 2015.
21. A. Kylling, **M. Kahnert**, H. Lindqvist, and T. Nousiainen, “Volcanic ash infrared signature: realistic ash particle shapes compared to spherical ash particles”, *Atmos. Meas. Tech.* **7**, 919-929, 2014.
22. **M. Kahnert**, T. Nousiainen, and H. Lindqvist, “Review: Model particles in atmospheric optics”, *J. Quant. Spectrosc. Radiat. Transfer* **146**, 41-58, 2014.
23. **M Kahnert**, T. Nousiainen, and H. Lindqvist, “Models for integrated and differential scattering optical properties of encapsulated light absorbing carbon aggregates”, *Opt. Express* **21**, 7974-7993, 2013.
24. **M. Kahnert**, “T-matrix computations for particles with high-order finite symmetries”, *J. Quant. Spectrosc. Radiat. Transfer* **123**, 79-91, 2013.
25. **M. Kahnert**, “The T-matrix code Tsym for homogeneous dielectric particles with finite symmetries”, *J. Quant. Spectrosc. Radiat. Transfer* **123**, 62-78, 2013.

26. D. W. Mackowski, **F. M. Kahnert**, and M. I. Mishchenko, “A T matrix method based upon scalar basis functions”, *J. Quant. Spectrosc. Radiat. Transfer* **123**, 113-121, 2013.
27. S. Merikallio, T. Nousiainen, **M. Kahnert**, and A.-M. Harri, “Light scattering by the Martian dust analog, palagonite, modeled with ellipsoids”, *Opt. Express* **21**, 17979-17985, 2013.
28. M. I. Mishchenko, **M. Kahnert**, D. W. Mackowski, and T. Wriedt, “Peter Waterman and his scientific legacy”, *J. Quant. Spectrosc. Radiat. Transfer* **123**, 1, 2013.
29. P. Räisänen, P. Haapanala, C. E. Chung, **M. Kahnert**, R. Makkonen, J. Tonttila, and T. Nousiainen, “Impact of dust particle non-sphericity on climate simulations”, *Q. J. R. Meteorol. Soc.* **139**, 2222-2232, 2013.
30. Y. Takano, K. N. Liou, **M. Kahnert**, and P. Yang, “The single-scattering properties of black carbon aggregates determined from the geometric-optics surface-wave approach and the T-matrix method”, *J. Quant. Spectrosc. Radiat. Transfer* **125**, 51-56, 2013.
31. M. A. Thomas, A. Devasthale, and **M. Kahnert**, “Exploiting the favourable alignment of CALIPSO's descending orbital tracks over Sweden to study aerosol characteristics”, *Tellus B* **65**, 21155, 2013.
32. M. A. Yurkin and **M. Kahnert**, “Light scattering by a cube: Accuracy limits of the discrete dipole approximation and the T-matrix method”, *J. Quant. Spectrosc. Radiat. Transfer* **123**, 176-183, 2013.
33. **M. Kahnert**, T. Nousiainen, M. A. Thomas, and J. Tyynelä, “Light scattering by particles with small-scale surface roughness: Comparison of four classes of model geometries”, *J. Quant. Spectrosc. Radiat. Transfer* **113**, 2356-3267, 2012.
34. **M. Kahnert**, T. Nousiainen, H. Lindqvist, and M. Ebert, “Optical properties of light absorbing carbon aggregates mixed with sulfate: assessment of different model geometries for climate forcing calculations”, *Opt. Express* **20**, 10042-10058, 2012.
35. P. Haapanala, P. Räisänen, **M. Kahnert**, and T. Nousiainen, “Sensitivity of the shortwave radiative effect of dust on particle shape: Comparison of spheres and spheroids”, *J. Geophys. Res.* **117**, D08201, 2012.
36. T. Nousiainen, E. Zubko, H. Lindqvist, **M. Kahnert**, and J. Tyynelä, “Comparison of scattering by different nonspherical, wavelength-scale particles”, *J. Quant. Spectrosc. Radiat. Transfer* **113**, 2391-2405, 2012.
37. K. Schmidt, M. A. Yurkin, and **M. Kahnert**, “A case study on the reciprocity in light scattering computations”, *Opt. Express* **20**, 23253-23274, 2012.
38. P. Mauno, G. M. McFarquhar, P. Räisänen, **M. Kahnert**, M. S. Timlin, and T. Nousiainen, “The influence of observed cirrus microphysical properties on shortwave radiation: A case study over Oklahoma”, *J. Geophys. Res.* **116**, D22208, 2011.
39. **M. Kahnert** and T. Rother, “Modeling optical properties of particles with small-scale surface roughness: combination of group theory with a perturbation approach”, *Opt. Express* **19**, 11138-11151, 2011.
40. T. Nousiainen, **M. Kahnert**, and H. Lindqvist, “Can particle shape information be retrieved from light-scattering observations using spheroidal model particles?”, *J. Quant. Spectrosc. Radiat. Transfer* **112**, 2213-2225, 2011.

41. **M. Kahnert** and A. Devasthale, “Black carbon fractal morphology and short-wave radiative impact: a modelling study”, *Atmos. Chem. Phys.* **11**, 11745-11759, 2011.
42. S. Merikallio, H. Lindqvist, T. Nousiainen, and **M. Kahnert**, “Modelling light scattering by mineral dust using spheroids: assessment of applicability”, *Atmos. Chem. Phys.* **11**, 5347-5363, 2011.
43. **M. Kahnert**, T. Nousiainen, and P. Mauno, “On the impact of non-sphericity and small-scale surface roughness on the optical properties of hematite aerosols”, *J. Quant. Spectrosc. Radiat. Transfer* **112**, 1815-1824, 2011.
44. J. M. J. Aan de Brugh, M. Schaap, E. Vignati, F. Dentener, **M. Kahnert**, M. Sofiev, V. Huijnen, and M. C. Krol, “The European aerosol budget in 2006”, *Atmos. Chem. Phys.* **11**, 1117-, 2011.
45. **M. Kahnert**, “Numerically exact computation of the optical properties of light absorbing carbon aggregates for wavelengths 200 nm – 12.2 μm ”, *Atmos. Chem. Phys.* **10**, 8319-8329, 2010.
46. **M. Kahnert**, “On the discrepancy between modeled and measured mass absorption cross sections of light absorbing carbon aerosols”, *Aerosol Sci. Technol.* **44**, 453-460, 2010.
47. **M. Kahnert**, “Modelling the optical and radiative properties of freshly emitted light absorbing carbon within an atmospheric chemical transport model”, *Atmos. Chem. Phys.* **10**, 1403-1416, 2010.
48. **F. M. Kahnert**, “Numerical methods in electromagnetic scattering theory”, *J. Quant. Spectrosc. Radiat. Transfer* **79-80**, 445-824, 2003. (reprinted in the 50-year anniversary issue of the journal (*JQSRT* **111**, 1791-1840, 2010) as one of 17 milestone papers published during 1961-2010)
49. **M. Kahnert**, “Electromagnetic scattering by nonspherical particles: Recent advances”, *J. Quant. Spectrosc. Radiat. Transfer* **111**, 1788-1790, 2010.
50. **M. Kahnert**, “On the observability of chemical and physical aerosol properties by optical observations: Inverse modelling with variational data assimilation”, *Tellus* **61B**, 747-755, 2009.
51. **M. Kahnert**, “Light scattering by particles with boundary symmetries”, *Light Scatt. Rev.* **3**, 2008.
52. **M. Kahnert**, “Variational data analysis of aerosol species in a regional CTM: Background error covariance constraint and aerosol optical observation operators”, *Tellus* **60B**, 753-770, 2008.
53. **M. Kahnert**, A. D. Sandvik, M. Biryulina, K. Stamnes, and J. J. Stamnes, “Impact of ice particle shape on short-wave radiative forcing: A case study for an arctic ice cloud”, *J. Quant. Spectrosc. Radiat. Transfer* **109**, 1196-1218, 2008.
54. **M. Kahnert**, T. Nousiainen, and P. Räisänen, “Mie simulations - A major error source in modelling radiative forcing by mineral aerosols”, *Q. J. R. Meteorol. Soc.* **133**, 299-307, 2007.
55. **M. Kahnert** and T. Nousiainen, “Variational data analysis method for combining laboratory-measured light scattering phase functions and forward-scattering computations”, *J. Quant. Spectrosc. Radiat. Transfer* **103**, 27-42, 2007.

56. **M. Kahnert**, “Boundary symmetries in linear differential and integral equation problems, with specific applications to Helmholtz' equation”, *Opt. Commun.* **265**, 83-393, 2006.
57. B. Veihelmann, T. Nousiainen, **M. Kahnert**, and W.J. van der Zande, “Light scattering by small feldspar particles simulated using the Gaussian random sphere geometry”, *J. Quant. Spectrosc. Radiat. Transfer* **100**, 393-404, 2006.
58. T. Nousiainen, **M. Kahnert**, and B. Veihelmann, “Light Scattering modeling of small feldspar particles using simplified shapes”, *J. Quant. Spectrosc. Radiat. Transfer* **101**, 471-487, 2006.
59. **M. Kahnert** and T. Nousiainen, “Uncertainties in measured and modelled asymmetry parameters of mineral dust aerosols”, *J. Quant. Spectrosc. Radiat. Transfer* **100/1-3**, 173-178, doi: 10.1016/j.jqsrt.2005.11.035, 2005.
60. **M. Kahnert**, “Irreducible representations of finite groups in the T matrix formulation of the electromagnetic scattering problem”, *J. Opt. Soc. Am. A* **22**, 1187-1199, 2005.
61. **M. Kahnert**, T. Nousiainen, and B. Veihelmann, “Spherical and spheroidal model particles as an error source in aerosol climate forcing and radiance computations: A case study for feldspar aerosols”, *J. Geophys. Res.* **110**, D18S13, doi: 10.1029/2004JD005558, 2005.

PEER-REVIEWED CONFERENCE CONTRIBUTIONS

62. J. D. Silver, J. Brandt, J. H. Christensen, **M. Kahnert**, and L. Robertson. “Ensemble perturbations for chemical data assimilation”. In: D. G. Steyn, P. J. H. Builtjes, and R. M. A. Timmermans (Eds.), Air Pollution Modelling and its Application XXII. NATO Science for Peace and Security Series C-Environmental Security, pp 221-224, 2014.
63. J. D. Silver, J. H. Christensen, **M. Kahnert**, L. Robertson, and J. Brandt, “Evaluation of a chemical data assimilation system”, in: D. Steyn and R. Mathur (eds), Air Pollution Modeling and its Application XXIII. Springer Proceedings in Complexity, pp 439-444, Miami, 2014.
64. **M. Kahnert** and T. Rother, “A T-matrix approach for particles with small-scale surface roughness”, *Atti Acad. Pelorit. Pericol.* **89**, C1V89S1P045, 2011.
65. T. Nousiainen, **M. Kahnert**, and H. Lindqvist “On retrieving shape information from scattering phase matrices using a distribution of spheroids”, *Atti Acad. Pelorit. Pericol.* **89**, C1V89S1P070, 2011.
66. P. Mauno, **M. Kahnert**, P. Räisänen, and T. Nousiainen, “Sensitivity of radiative impact of dust to particle shape: comparison of spheres and spheroids”, *Atti Acad. Pelorit. Pericol.* **89**, C1V89S1P063, 2011.
67. **M. Kahnert**, “Black carbon aerosol optics in chemical data assimilation and climate forcing studies”, in: K. Muinonen, A. Penttilä, H. Lindqvist, T. Nousiainen, and G. Videen (Eds.), *Proceedings of the Twelfth International Conference on Electromagnetic Scattering*, pp. 90-93, University of Helsinki, 2010.
68. S. Merikallio, H. Lindqvist, T. Nousiainen, and **M. Kahnert**, “Single-scattering by mineral dust particles modelled with spheroids”, in: K. Muinonen, A. Penttilä, H. Lindqvist, T.

Nousiainen, and G. Videen (Eds.), *Proceedings of the Twelfth International Conference on Electromagnetic Scattering*, pp. 158-161, University of Helsinki, 2010.

69. P. Mauno, T. Nousiainen, G. M. McFarquhar, M. Timlin, **M. Kahnert**, and P. Räisänen, “Modelling of radiative impact of a cirrus cloud based on microphysical in-situ measurements”, in: K. Muinonen, A. Penttilä, H. Lindqvist, T. Nousiainen, and G. Videen (Eds.), *Proceedings of the Twelfth International Conference on Electromagnetic Scattering*, pp. 154-157, University of Helsinki, 2010.

MONOGRAPHS

1. B. Sun, L. Bi, P. Yang, **M. Kahnert**, and G. Kattawar, “Invariant Imbedding T-matrix Method for Light Scattering by Nonspherical and Inhomogeneous Particles”, Elsevier, Amsterdam, 2020.
2. T. Rother and **M. Kahnert**, “Electromagnetic Wave Scattering on Nonspherical Particles”, 2nd edition, Springer, Berlin, 2014.