







STATION REF M1V1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 15 m)



Vertical profiles REF M1V1 October









STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE October









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ October









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ October









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÄRÖDJ October









STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ October









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 October









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth ≥ 80 m)



Vertical profiles BCS III-10 October









STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 80 m)









Vertical profiles BY5 BORNHOLMSDJ October





STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2022



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ October









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN October









STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA October









STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 39 m)









Vertical profiles BY1 October





STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2022



OXYGEN IN BOTTOM WATER (depth >= 40 m)









Vertical profiles W LANDSKRONA October





STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2022



OXYGEN IN BOTTOM WATER (depth >= 52 m)




Vertical profiles ANHOLT E October

— Mean 1991-2020

■ St.Dev.







● 2022-10-23





STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2022



OXYGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG October









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 74 m)



Vertical profiles FLADEN October









STATION P2 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 75 m)









Vertical profiles P2 October





STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2022



OXYGEN IN BOTTOM WATER (depth >= 300 m)









Vertical profiles A17 October





STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2022




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles A15 October

— Mean 1991-2020 St.Dev. ● 2022-10-24









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 82 m)



Vertical profiles A13 October









STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2022



OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ October

