







STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 300 m)



Vertical profiles A17 February







— Mean 1991-2020 ■ St.Dev. ● 2024-02-06





STATION Å16 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 193 m)



Vertical profiles A16 February

— Mean 1991-2020 St.Dev. ● 2024-02-06









STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles A15 February







— Mean 1991-2020 ■ St.Dev. ● 2024-02-07





STATION Å14 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles A14 February

— Mean 1991-2020 ■ St.Dev. ● 2024-02-07









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 82 m)



Vertical profiles Å13 February

— Mean 1991-2020 ■ St.Dev. ● 2024-02-07









STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ February







— Mean 1919-2020 St.Dev. ● 2024-02-07





STATION P2 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 75 m)




Vertical profiles P2 February

— Mean 1991-2020

■ St.Dev.







● 2024-02-07





STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 74 m)



Vertical profiles FLADEN February







— Mean 1991-2020 St.Dev. ● 2024-02-08





STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 25 m)









Vertical profiles N14 FALKENBERG February





STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 52 m)









Vertical profiles ANHOLT E February





STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles W LANDSKRONA February

— Mean 1991-2020 St.Dev. ● 2024-02-08











STATION FLINTEN 7 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Öresund


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles FLINTEN 7 February

Statistics based on data from: Öresund







— Mean 1991-2020 ■ St.Dev. ● 2024-02-08





STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 39 m)



Vertical profiles BY1 February







— Mean 1991-2020 ■ St.Dev. ● 2024-02-08





STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA February

— Mean 1991-2020 ■ St.Dev. ● 2024-02-09











STATION INFLOW 1 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Arkonahavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles INFLOW 1 February

Statistics based on data from: Arkonahavet

— Mean 1991-2020 ■ St.Dev. ● 2024-02-09











STATION BY3 HAMRARNE SUND SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY3 HAMRARNE SUND February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020 St.Dev. ● 2024-02-09











STATION INFLOW 3 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles INFLOW 3 February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020 ■ St.Dev. ● 2024-02-09









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN February











STATION INFLOW-4 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles INFLOW-4 February

Statistics based on data from: Bornholmshavet







— Mean 1991-2020 ■ St.Dev. ● 2024-02-09





STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ February

— Mean 1991-2020 ■ St.Dev. ● 2024-02-09











STATION INFLOW 5 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles INFLOW 5 February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020 St.Dev. ● 2024-02-09











STATION HANÖBUKTEN-KBV SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles HANÖBUKTEN-KBV February

Statistics based on data from: Bornholmshavet







— Mean 1991-2020 ■ St.Dev. ● 2024-02-09





STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE February







— Mean 1991-2020 ■ St.Dev. ● 2024-02-09





STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024









OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ February

— Mean 1991-2020 ■ St.Dev. ● 2024-02-10











STATION STOLPE TRÖSKEL SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles STOLPE TRÖSKEL February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020 St.Dev. ● 2024-02-10











STATION BY7 STOLPE RÄNNA SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY7 STOLPE RÄNNA February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020 St.Dev. ● 2024-02-10











STATION PL-P1 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Gdanskbukten


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles PL-P1 February

Statistics based on data from: Gdanskbukten

— Mean 1991-2020 ■ St.Dev. ● 2024-02-10











STATION PL-P63 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Gdanskbukten


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles PL-P63 February

Statistics based on data from: Gdanskbukten







— Mean 1991-2020 ■ St.Dev. ● 2024-02-11





STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BCS III-10 February

— Mean 1919-2020 St.Dev. ● 2024-02-11











STATION BY9 KLAIPEDA SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY9 KLAIPEDA February

Statistics based on data from: Östra Gotlandshavet







— Mean 1919-2020 ■ St.Dev. ● 2024-02-11





STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 February

— Mean 1919-2020 ■ St.Dev. ● 2024-02-11











STATION BY11 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY11 February

Statistics based on data from: Östra Gotlandshavet







— Mean 1919-2020 ■ St.Dev. ● 2024-02-11





STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ February

— Mean 1919-2020 ■ St.Dev. ● 2024-02-11











STATION BY13 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY13 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020 ■ St.Dev. ● 2024-02-12











STATION BY19 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY19 February

Statistics based on data from: Östra Gotlandshavet







— Mean 1991-2020 ■ St.Dev. ● 2024-02-12





STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ February

— Mean 1991-2020 St.Dev. ● 2024-02-12











STATION BY21 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY21 February

Statistics based on data from: Östra Gotlandshavet







— Mean 1991-2020 ■ St.Dev. ● 2024-02-12





STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 February

— Mean 1991-2020 St.Dev. ● 2024-02-12











STATION BY30 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY30 February

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020 St.Dev. ● 2024-02-12





STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ February







— Mean 1991-2020 St.Dev. ● 2024-02-13





STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ February

— Mean 1991-2020 ■ St.Dev. ● 2024-02-13











STATION BY36 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BY36 February

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020 St.Dev. ● 2024-02-13





STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ February

— Mean 1991-2020 ■ St.Dev. ● 2024-02-13

