







STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE March

— Mean 1991-2020 St.Dev. ● 2023-03-09









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ March

— Mean 1991-2020 St.Dev. ● 2023-03-09









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ March

— Mean 1991-2020 St.Dev. ● 2023-03-09









STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ March

— Mean 1991-2020 St.Dev. ● 2023-03-10




Vertical profiles HUVUDSKÄR March

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.

● 2023-03-10









STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 March

— Mean 1991-2020 St.Dev. ● 2023-03-10









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ March

— Mean 1991-2020 St.Dev. ● 2023-03-10



Vertical profiles ÖSTERGARNSHOLM


March

Statistics based on data from: Östra Ölands, sydöstra Gotlands kustvatten samt Gotska sandön

— Mean 1991-2020

■ St.Dev.

● 2023-03-11









STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ March

— Mean 1991-2020 St.Dev. ● 2023-03-11









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2023



OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 March









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 80 m)




Vertical profiles BCS III-10 March

— Mean 1991-2020

■ St.Dev.

● 2023-03-12









STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ March

— Mean 1991-2020 St.Dev. ● 2023-03-12









STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2023



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ March









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2023



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN March









STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 40 m)




Vertical profiles BY2 ARKONA March

— Mean 1991-2020

■ St.Dev.

● 2023-03-13









STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 39 m)




Vertical profiles BY1 March

— Mean 1991-2020

■ St.Dev.

● 2023-03-13



STATION FLINTEN-7 SURFACE WATER (0-10 m)









Annual Cycles

Statistics based on data from: Öresund

— Mean 1991-2020

■ St.Dev.

● 2023




Vertical profiles FLINTEN-7

March

Statistics based on data from: Öresund

— Mean 1991-2020 St.Dev. ● 2023-03-13









STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles W LANDSKRONA March

— Mean 1991-2020 St.Dev. ● 2023-03-13




Vertical profiles 1 SW SVINBÅDAN March

Statistics based on data from: Södra Hallands och norra Öresunds kustvatten

— Mean 1991-2020

■ St.Dev.

● 2023-03-13









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 52 m)




Vertical profiles ANHOLT E

March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14









STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 25 m)




Vertical profiles N14 FALKENBERG March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 74 m)




Vertical profiles FLADEN March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14









STATION P2 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2023



OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles P2 March









STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 125 m)




Vertical profiles Å15 March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14




Vertical profiles Å16 March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14









STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 300 m)




Vertical profiles Å17 March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14




Vertical profiles Å14 March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 82 m)




Vertical profiles Å13 March

— Mean 1991-2020

■ St.Dev.

● 2023-03-14









STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2023



OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ

March

— Mean 1991-2020

■ St.Dev.

● 2023-03-15

