







STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 64 m)




Vertical profiles SLÄGGÖ February

— Mean 1911-2020

■ St.Dev.

● 2025-02-06









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 82 m)




Vertical profiles Å13 February

— Mean 1991-2020

■ St.Dev.

● 2025-02-06









STATION Å14 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 100 m)




Vertical profiles Å14 February

— Mean 1991-2020

■ St.Dev.

● 2025-02-06









STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 125 m)




Vertical profiles Å15 February

— Mean 1991-2020

■ St.Dev.

● 2025-02-06









STATION Å16 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 193 m)




Vertical profiles A16 February

— Mean 1991-2020

■ St.Dev.

● 2025-02-06









STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 300 m)



Vertical profiles A17 February









STATION P2 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles P2 February









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 74 m)



Vertical profiles FLADEN February









STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG February









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 52 m)




Vertical profiles ANHOLT E February

— Mean 1991-2020

■ St.Dev.

● 2025-02-07









STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 40 m)




Vertical profiles W LANDSKRONA February

— Mean 1991-2020

■ St.Dev.

● 2025-02-07




Vertical profiles FLINTEN-7 February

Statistics based on data from: Öresund

— Mean 1991-2020

■ St.Dev.

● 2025-02-08




Vertical profiles 441 STEVNS KLINT February

Statistics based on data from: Arkonahavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-08









STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 39 m)



Vertical profiles BY1 February







— Mean 1991-2020 St.Dev. ● 2025-02-08





STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2025




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA February

— Mean 1991-2020 St.Dev. ● 2025-02-08




Vertical profiles BY3 HAMRARNE SUND February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-08









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 70 m)




Vertical profiles HANÖBUKTEN February

— Mean 1991-2020

■ St.Dev.

● 2025-02-08




Vertical profiles HANÖBUKTEN-KBV February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-08









STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ February

— Mean 1911-2020 St.Dev. ● 2025-02-08









STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ February

— Mean 1991-2020 St.Dev. ● 2025-02-09




Vertical profiles STOLPE TRÖSKEL February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-09




Vertical profiles BY7 STOLPE RÄNNA February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-09









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 80 m)




Vertical profiles BCS III-10 February

— Mean 1991-2020

■ St.Dev.


● 2025-02-09



Vertical profiles PL-P1 February

Statistics based on data from: Gdanskbukten


— Mean 1991-2020 St.Dev. ● 2025-02-09



Vertical profiles PL-P63 February

Statistics based on data from: Gdanskbukten

— Mean 1991-2020 St.Dev. ● 2025-02-10




Vertical profiles BY9 KLAIPEDA February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-10









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 February




Vertical profiles BY11 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-10




Vertical profiles BY13 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-10









STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ February

— Mean 1991-2020 St.Dev. ● 2025-02-10




Vertical profiles BY19 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-10









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ February

— Mean 1991-2020 St.Dev. ● 2025-02-11




Vertical profiles BY21 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-11




Vertical profiles BY28 February

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.

● 2025-02-11




Vertical profiles BY27 February

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.

● 2025-02-11









STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19

February

— Mean 1991-2020 St.Dev. ● 2025-02-11




Vertical profiles BY30 February

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-11









STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ
February









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ February

— Mean 1991-2020 St.Dev. ● 2025-02-12




Vertical profiles BY36 February

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2025-02-12









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 100 m)




Vertical profiles BY38 KARLSÖDJ February




STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2025



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE February

