







STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ August









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 82 m)









Vertical profiles Å13 August





STATION Å14 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles Å14 August









STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles Å15 August









STATION Å16 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 193 m)



Vertical profiles A16 August









STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 300 m)



Vertical profiles Å17 August









STATION P2 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles P2 August









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026



OXYGEN IN BOTTOM WATER (depth >= 74 m)




Vertical profiles FLADEN August

— Mean 1991-2020

■ St.Dev.

● 2026-08-07









STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG August









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026



OXYGEN IN BOTTOM WATER (depth >= 52 m)




Vertical profiles ANHOLT E August

— Mean 1991-2020

■ St.Dev.

● 2026-08-07



STATION P22 SURFACE WATER (0-10 m)









Annual Cycles

Statistics based on data from: Kattegatt

— Mean 1991-2020

■ St.Dev.

● 2026




Vertical profiles P22 August

Statistics based on data from: Kattegatt

— Mean 1991-2020

■ St.Dev.

● 2026-08-07









STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles W LANDSKRONA August









STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 80 m)









Vertical profiles BY4 CHRISTIANSÖ August





STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ August









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BCS III-10

August









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 August









STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ August









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ August









STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 August




Vertical profiles HUVUDSKÄR BUOY August

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.

● 2026-08-10



STATION BY30 SURFACE WATER (0-10 m)









Annual Cycles

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2026




Vertical profiles BY30 August

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2026-08-10









STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ August









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ August









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ August









STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE August









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN August









STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA August









STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2026



OXYGEN IN BOTTOM WATER (depth >= 39 m)



Vertical profiles BY1 August









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026



OXYGEN IN BOTTOM WATER (depth >= 52 m)



Vertical profiles ANHOLT E August

— Mean 1991-2020

■ St.Dev.

● 2026-08-13

