

EXPEDITIONSRAPPORT FRÅN U/F ARGOS

CRUISE REPORT FROM R/V ARGOS

Survey period: 980418-980424

Survey area: The Skagerrak, the Kattegat,
the Sound and the Baltic Proper

Principal: SMHI

SUMMARY

The expedition was performed within SMHI's regular marine monitoring programme and covered the Skagerrak, the Kattegat, the Sound and the Baltic Proper. Weak winds from the north dominated. The surface water temperatures were normal for the season in the whole area i.e. about 6°C in the Skagerrak, 6.5°C in the Kattegat and between 5 and 3°C in the Baltic. Water of high nitrate content (20 µM) was found north of Jylland (station HS5). In the Kattegat both inorganic nitrogen and the phosphate concentrations were low in the surface water. The spring bloom in the Baltic had started. The oxygen concentrations in the Baltic were below 2 ml/l from about 80 m depth in the Gotland Basin and about 70 m in the Bornholm Basin. No hydrogen sulphide was detected in the Baltic Sea. A full algal report No 7, 1998 is available on <http://www.smhi.se/sgn0102/nodc/index.htm>

PRELIMINARY RESULTS

The expedition, which was a part of the ordinary monitoring programme of SMHI, began in Göteborg on the 18th of April and ended in the same place on the 24th of April.

A high pressure during the expedition carried weak winds from the north.

A full algal report No 7, 1998 is available on

<http://www.smhi.se/sgn0102/nodc/index.htm>.

The Skagerrak

The sea surface temperature was just below 6°C. A 7 m thick surface layer with nitrate concentration of almost 20 µM was found at station HS5 north of the Jylland coast where the phytoplankton primary production also was potent. The rest of the nutrient concentrations were typical for the season in the whole area.

The Kattegatt and the Sound

The sea surface temperature varied between 6 and 7°C. A considerable algae bloom occurred at station Läsö Ränna in the north-western Kattegatt. At the stations along the Swedish coast the primary production was moderate in the beginning of the week. When the stations were revisited at the end of the expedition a powerful phytoplankton production had started in a thin layer just below the halocline which was situated at a depth of about 10 meters. The surface layer was almost depleted of nitrate and phosphate.

The bottom oxygen concentrations were normal for the season. The lowest oxygen saturation (60%) was measured in the bottom water at station W Landskrona in the Sound.

The Baltic Sea

The sea surface temperature in the southern Baltic was almost 5°C and decreased to nearly 3 in the northern part. The spring bloom was ongoing in the whole area and had proceeded longest in the Arkona Basin where the surface layer was depleted of nitrate and the phosphate concentration had decreased to about 0.2 µM.

The oxygen saturation in the Arkona Basin was not below 50%.

Oxygen concentrations below 2 ml/l were measured from about 80 m depth in the Gotland Basin and about 70 m in the Bornholm Basin.

No hydrogen sulphide was detected in the Baltic Sea.

PARTICIPANTS

Name	From
Bengt Yhlen, chief scientist	SMHI Oceanographical lab.
Tuulikki Jaako	- " -
Mikael Krysell	- " -
Eva Nyberg	- " -
Bo Juhlin	SMHI Norrköping

APPENDICES

- Track chart
- Table over stations, parameters and sampling depths
- Map showing bottom oxygen concentrations
- Monthly average plots for selected stations
- Profiles for selected stations

SMHI
Ocean lab

Hydrographic
series

Ship: 14-Argos
Year: 1998

Date: 1998-04-28
Time: 09:16


Ser no	Stat code	P r o j	Station-----	Lat-----	Lon-----	Date yymmdd	Time hhmm utc	Bott deph m	Mld m	Secc deph m	Wind di ve	Air temp C	Air pres hPa	WCSI elec aoae tu hd	C d	PPCPZZT Hrhhoo Cilyooa motPBw PrP l	No de	T e	S a	P h	O x	H 2	P o	T o	N o	N o	N t	A h	S l	L i	P u	P i	T o	C o		
0278	SKEX23BAS	P2		N5752	E1118	980418	1900	94			05 4	7.4	1006	1520	x	--X----	9	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x
0279	SKEX17BAS	Å16		N5816	E1043.5	980418	2145	196			05 7	6.5	1007	9920	x	--X----	12	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x
0280	SKNX21BAS	M6		N5810	E0930	980419	0200	645			05 3	6.8	1007	9900	x	--XX---	17	x	x	x	x	-	x	x	x	x	x	x	x	-	-	-	-	-	-	x
0281	SKEX69BAS	HS5		N5744.2	E1000.4	980419	0555	89	7	05 4	6.1	1008	2820	x	--XX---	9	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	-	
0282	KANX09BAS	LÄSÖ RÄNNA		N5717.6	E1044.5	980419	1120	45	6	05 3	7.9	1008	2810	x	--XX---	8	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0283	KANX25BAS	FLADEN		N5711.5	E1140	980419	1500	76	9	05 4	7.6	1008	2220	x	--X----	11	x	x	x	x	-	x	x	x	x	x	x	x	-	-	-	-	-	-	x	
0284	KAEX29BAS	ANHOLT E		N5640.0	E1207.0	980419	1900	53		36 4	7.6	1010	9920	x	--xxx--	9	x	x	x	x	-	x	x	x	x	x	x	x	-	-	-	-	-	-	x	
0285	SOCX39BAS	W LANDSKRONA		N5552.0	E1245.0	980420	0010	52		27 1	6.1	1011	9910	x	--X----	9	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0286	SOCX00BAS	T 4		N5537	E1252	980420	0200	9		27 1	6.1	1011	9910	x	--X----	2	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0287	SOCX00BAS	OSKARSGRUNDET NE		N5536.1	E1251.9	980420	0215	9		27 1	6.1	1011	9910	x	-----	2	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	
0288	SOSX00BAS	T 0		N5528	E1242	980420	0315	10		27 2	6.1	1012	1210	x	--X----	2	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0289	BPSA02BAS	BY1		N5500	E1318	980420	0700	47	11	00 0	9.5	1014	4000	x	-----	8	x	x	-	x	-	x	x	x	x	x	x	-	-	-	-	-	-	-	x	
0290	BPSA03BAS	BY2 ARKONA		N5500	E1405	980420	0955	48	10	00 0	10.3	1015	0000	x	--XX---	8	x	x	x	x	-	x	x	x	x	x	x	-	-	-	-	-	-	-	x	
0291	BPSB06BAS	BY4 CHRISTIANSÖ		N5523	E1520	980420	1445	94	10	23 2	15	1001	1110	x	-----	12	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0292	BPSB07BAS	BY5 BORNHOLMSDJ		N5515	E1559	980420	1730	93	11	99 2	10.9	1015	1210	x	-xxx---	12	x	x	x	x	-	x	x	x	x	x	x	-	-	-	-	-	-	-	x	
0293	BPSE11BAS	BCS III-10		N5533.3	E1824	980421	0145	90		32 4	3.7	1017	4990	x	--XX---	12	x	x	x	x	-	x	x	x	x	x	x	-	-	-	-	-	-	-	-	
0294	BPEX13BAS	BY10		N5638	E1935	980421	0850	148	11	32 5	5.7	1020	2820	x	--X----	15	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0295	BPEX21BAS	BY15 GOTLANDSDJ		N5720	E2003	980421	1300	250	11	36 5	6.5	1021	2820	x	--XX---	19	x	x	x	x	x	x	x	x	x	x	x	-	-	-	-	-	-	-	x	
0296	BPEX21BAS	BY15 GOTLANDSDJ		N5720	E2003	980421	1340	250	11	36 5	6.5	1021	2820	-	-----	6	x	-	-	x	-	x	-	x	x	x	-	-	x	-	-	-	-	-	x	
0297	BPEX26BAS	BY20 FÄRÖDJ		N5800	E1953	980421	1735	205		36 4	4.2	1022	4920	x	--X----	17	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0298	BPNX35BAS	BY29		N5853	E2019	980421	2250	180		36 4	3.1	1025	9920	x	--XX---	16	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0299	BPNX37BAS	BY31 LANDSORTSDJ		N5835	E1814	980422	0530	456	8	05 4	5.0	1025	4920	x	--XX---	23	x	x	x	x	-	x	x	x	x	x	x	-	-	-	-	-	-	-	x	
0300	BPWX38BAS	BY32 NORRKÖPINGSDJ		N5801	E1759	980422	1015	205	6	05 6	3.8	1025	6820	x	-----	18	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-	-	x	
0301	BPWX45BAS	BY38 KARLSÖDJ		N5707	E1740	980422	1545	114	8	05 5	3.8	1025	2820	x	--XX---	14	x	x	x	x	-	x	x	x	x	x	x	-	-	-	-	-	-	-	x	
0302	BPSH05BAS	HANÖBUKTEN		N5537	E1452	980423	0345	80		36 3	6.7	1023	4920	x	-----	11	x	x	-	x	-	x	-	x	x	-	-	-	x	-	-	-	-	-	x	
0303	BPSA03BAS	BY2 ARKONA		N5500	E1405	980423	0820	47	9	36 4	7.4	1022	2810	x	--XX---	8	x	x	x	x	-	x	x	x	x	x	x	-	-	-	-	-	-	-	x	
0304	BPSA02BAS	BY1		N5500	E1318	980423	1120	47	9	36 3	12.1	1021	1520	x	-----	8	x	x	-	x	-	x	x	x	x	x	-	x	-	-	-	-	-	-	x	

```
Date: 1998-04-28
Time: 09:16
```

Ser	Stat	P	Station-----	Lat-----	Lon-----	Date	Time	Bott	Mld	Secc	Wind	Air	Air	WCSI	C	PPCPZZT	No	T	S	P	O	H	P	T	N	N	T	A	S	H	L	P	T	C	
no	code	r				yymmdd	hhmm	deph		deph	di	ve	temp	pres	elec	t	Hrhhoor	de	e	a	h	x	2	o	o	h	o	l	i	u	i	o	o	o	
		o					utc	m	m	m			C	hPa	aoae	d	Cilyooa		m	l	y	S	4	t	2	3	4	t	k	o	m	g	N	C	m
		j													tu		motPBw		p	i	g		P	P	N	N	N	N	a	3	u	n			m
															hd		PrP		l		n									l	s	i			
0305	SOCX00BAS	OSKARSGRUNDET	NE	N5536.1	E1251.9	980423	1540	10			07	4	12.0	1018	0020	x	-----	2	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0306	SOCX39BAS	W LANDSKRONA		N5552.0	E1245.0	980423	1745	50			14	5	12.0	1018	1220	x	--xx---	8	x	x	-	x	-	x	x	x	x	x	x	-	x	-	-	-	-
0307	KAEX29BAS	ANHOLT	E	N5640.0	E1207.0	980423	2240	55			14	5	7.9	1017	9920	x	-----	9	x	x	x	x	-	x	x	x	x	x	x	x	-	-	-	-	-
0308	KANX25BAS	FLADEN		N5711.5	E1140	980424	0220	80			07	4	10	1017	9920	x	--xx---	11	x	x	x	x	-	x	x	x	x	x	x	x	-	-	-	-	-

TRACK CHART

Country: Sweden
Ship : Argos
Date : 980418-980424
Series : 0278-0308



Bottom water oxygen concentration (ml/l)







Country: Sweden
Ship: Argos
Date: 980418-980424
Series: 0278-0308





STATION P2 SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION M6 SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION HS5 SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION FLADEN SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION ANHOLT E SURFACE WATER (above halocline)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION W LANDSKRONA SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION BY2 SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION BY5 SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION BY15 SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION BY31 SURFACE WATER (0-15 m)

Annual Cycles

— Mean 1986-1995 St.Dev. ● 1998









OXYGEN IN BOTTOM WATER





STATION BY38 SURFACE WATER (0-15 m)

Annual Cycles


— Mean 1986-1995 ····· St.Dev. ● 1998




OXYGEN IN BOTTOM WATER




SKAGERRAK 980418-980424



KATTEGAT and THE SOUND 980418-980424





SOUTH BALTIC 980418-980424



EAST BALTIC 980418-980424

— — — BY20 ————— BY15 - · - · - · BY10 ······ BCS III-10



WEST BALTIC 980418-980424

— BY31 - - - BY32 BY38

