









STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ February







— Mean 1991-2020 St.Dev. ● 2026-02-04





STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 82 m)









Vertical profiles A13 February





STATION Å14 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles A14 February







— Mean 1991-2020 ■ St.Dev. ● 2026-02-04





STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles A15 February

— Mean 1991-2020 ■ St.Dev. ● 2026-02-04









STATION Å16 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026




OXYGEN IN BOTTOM WATER (depth >= 193 m)



Vertical profiles Å16 February







— Mean 1991-2020 ■ St.Dev. ● 2026-02-04





STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 300 m)



Vertical profiles A17 February







— Mean 1991-2020 St.Dev. ● 2026-02-04





STATION P2 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles P2 February







— Mean 1991-2020 St.Dev. ● 2026-02-05





STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 74 m)









Vertical profiles FLADEN February





STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG February







— Mean 1991-2020 St.Dev. ● 2026-02-05





STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 52 m)



Vertical profiles ANHOLT E February







— Mean 1991-2020 St.Dev. ● 2026-02-05





STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles W LANDSKRONA February

— Mean 1991-2020 St.Dev. ● 2026-02-05











STATION FLINTEN-7 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Öresund


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles FLINTEN-7 February

Statistics based on data from: Öresund

— Mean 1991-2020 ■ St.Dev. ● 2026-02-05











STATION 441 STEVNS KLINT SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Arkonahavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles 441 STEVNS KLINT February

Statistics based on data from: Arkonahavet







— Mean 1991-2020 St.Dev. ● 2026-02-05





STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 39 m)



Vertical profiles BY1 February







— Mean 1991-2020 ■ St.Dev. ● 2026-02-06





STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA February











STATION BY3 HAMRARNE SUND SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY3 HAMRARNE SUND February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020 ■ St.Dev. ● 2026-02-06









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026




OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN February

— Mean 1991-2020 ■ St.Dev. ● 2026-02-06











STATION HANÖBUKTEN-KBV SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles HANÖBUKTEN-KBV February

Statistics based on data from: Bornholmshavet







— Mean 1991-2020 ■ St.Dev. ● 2026-02-06





STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ February







— Mean 1991-2020 St.Dev. ● 2026-02-06





STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ February

— Mean 1991-2020 St.Dev. ● 2026-02-06











STATION STOLPE TRÖSKEL SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles STOLPE TRÖSKEL February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020 ■ St.Dev. ● 2026-02-07











STATION BY7 STOLPE RÄNNA SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY7 STOLPE RÄNNA February

Statistics based on data from: Östra Gotlandshavet







— Mean 1991-2020 ■ St.Dev. ● 2026-02-07





STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BCS III-10 February

— Mean 1991-2020 St.Dev. ● 2026-02-07











STATION PL-P1 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Gdanskbukten


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles PL-P1 February

Statistics based on data from: Gdanskbukten

— Mean 1991-2020 ■ St.Dev. ● 2026-02-07











STATION PL-P63 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Gdanskbukten


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles PL-P63 February

Statistics based on data from: Gdanskbukten

— Mean 1991-2020 ■ St.Dev. ● 2026-02-07











STATION BY9 KLAIPEDA SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY9 KLAIPEDA February

Statistics based on data from: Östra Gotlandshavet







— Mean 1991-2020 ■ St.Dev. ● 2026-02-08





STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 February

— Mean 1991-2020 St.Dev. ● 2026-02-08











STATION BY11 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY11 February

Statistics based on data from: Östra Gotlandshavet







— Mean 1991-2020 ■ St.Dev. ● 2026-02-08





STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ February

— Mean 1991-2020 St.Dev. ● 2026-02-08











STATION BY13 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY13 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020 ■ St.Dev. ● 2026-02-08











STATION BY19 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY19 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020 ■ St.Dev. ● 2026-02-08









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ February

— Mean 1991-2020 ■ St.Dev. ● 2026-02-08











STATION BY21 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY21 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020 ■ St.Dev. ● 2026-02-08











STATION BY28 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Norra Egentliga Östersjön


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY28 February

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020 St.Dev. ● 2026-02-09











STATION BY27 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Norra Egentliga Östersjön


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY27 February

Statistics based on data from: Norra Egentliga Östersjön







— Mean 1991-2020 St.Dev. ● 2026-02-09





STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 February

— Mean 1991-2020 St.Dev. ● 2026-02-09











STATION BY30 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY30 February

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020 ■ St.Dev. ● 2026-02-09





STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ February







— Mean 1991-2020 St.Dev. ● 2026-02-09





STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ February

— Mean 1991-2020 ■ St.Dev. ● 2026-02-10











STATION BY36 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY36 February

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020 St.Dev. ● 2026-02-10





STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ February

— Mean 1991-2020 ■ St.Dev. ● 2026-02-10









STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE February

