







STATION REF M1V1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 15 m)



Vertical profiles REF M1V1 December




STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bornholmshavet

— Mean 1991-2020 St.Dev. ● 2022




Vertical profiles BY39 ÖLANDS S UDDE December

Statistics based on data from: Bornholmshavet

— Mean 1991-2020

■ St.Dev.

● 2022-12-05









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ December









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 175 m)









Vertical profiles BY32 NORRKÖPINGSDJ December





STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2022



OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ
December




Vertical profiles U19 NORRA RANDEN December

Statistics based on data from: Södra Bottenhavet, yttre kustvatten

— Mean 1991-2020

■ St.Dev.


● 2022-12-07



Vertical profiles F33 GRUNDKALLEN December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2022-12-07



Vertical profiles SR5 / C4 December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. • 2022-12-07



Vertical profiles SS29 December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. • 2022-12-07



Vertical profiles SR8 December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 ■ St.Dev. ● 2022-12-07



Vertical profiles F26 / C15 December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2022-12-07



Vertical profiles MS6 December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. • 2022-12-07



Vertical profiles US5B / C1 December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. • 2022-12-08



Vertical profiles F18 SYDOSTBROTEN December

Statistics based on data from: Norra Kvarken

— Mean 1991-2020 St.Dev. • 2022-12-08




Vertical profiles F16 December

Statistics based on data from: Norra Kvarken

— Mean 1991-2020

■ St.Dev.


● 2022-12-08



Vertical profiles F13 December

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. ● 2022-12-08



Vertical profiles BO3 / A3 December

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. • 2022-12-08



Vertical profiles RR7 December

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. • 2022-12-09



Vertical profiles RR5 December


Statistics based on data from: Bottenviken

— Mean 1991-2020 St.Dev. • 2022-12-09



Vertical profiles F3 / A5 December


— Mean 1991-2020 St.Dev. • 2022-12-09



Vertical profiles RR1 December


Statistics based on data from: Bottenviken

— Mean 1991-2020 St.Dev. • 2022-12-09



Vertical profiles F9 / A13 December


— Mean 1991-2020 St.Dev. • 2022-12-09



Vertical profiles US2 ULVÖDJ December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. • 2022-12-10




Vertical profiles GAVIK-1 December

— Mean 1991-2020

■ St.Dev.


● 2022-12-10



Vertical profiles US3 / C6 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. • 2022-12-10




Vertical profiles C3 December

— Mean 1991-2020

■ St.Dev.


● 2022-12-10




Vertical profiles MS2 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2022-12-10




Vertical profiles MS4 / C14 December



Vertical profiles SR1A December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. • 2022-12-11



Vertical profiles SR3 December

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. • 2022-12-11



Vertical profiles F64 SOLOVJEVA December

Statistics based on data from: Ålands hav

— Mean 1991-2020 St.Dev. • 2022-12-11




Vertical profiles TRÖSKELN ÅLANDS HAV December

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.

● 2022-12-12









STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2022




OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19

December









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2022




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 December

— Mean 1991-2020 St.Dev. • 2022-12-13









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BCS III-10 December









STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ December









STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ December









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN December









STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA December









STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 39 m)



Vertical profiles BY1
December









STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles W LANDSKRONA December









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 52 m)









Vertical profiles ANHOLT E December





STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. • 2022



OXYGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG December









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 74 m)









Vertical profiles FLADEN December





STATION P2 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2022



OXYGEN IN BOTTOM WATER (depth >= 75 m)









Vertical profiles P2 December





STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. • 2022



OXYGEN IN BOTTOM WATER (depth >= 300 m)









Vertical profiles A17 December





STATION Å16 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. • 2022



OXYGEN IN BOTTOM WATER (depth >= 193 m)









Vertical profiles A16 December





STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. • 2022



OXYGEN IN BOTTOM WATER (depth >= 125 m)









Vertical profiles A15 December





STATION Å14 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. • 2022




OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles A14 December

— Mean 1991-2020 St.Dev. • 2022-12-16









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2022



OXYGEN IN BOTTOM WATER (depth >= 82 m)



Vertical profiles A13 December









STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2022



OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ December

