



STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE December



STATION AHC-TEST SURFACE WATER (0-10 m)









Annual Cycles

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2024




Vertical profiles AHC-TEST December

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020

■ St.Dev.

● 2024-12-05









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ December









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ December









STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ December



STATION 10E ALMAGRUNDET SURFACE WATER (0-10 m)









Annual Cycles

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.

● 2024




Vertical profiles 10E ALMAGRUNDET December

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.

● 2024-12-06



STATION F64 SOLOVJEVA SURFACE WATER (0-10 m)









Annual Cycles

Statistics based on data from: Ålands hav

— Mean 1991-2020

■ St.Dev.


● 2024



Vertical profiles F64 SOLOVJEVA December

Statistics based on data from: Ålands hav

— Mean 1991-2020 St.Dev. ● 2024-12-06











STATION F33 GRUNDKALLEN SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024




Vertical profiles F33 GRUNDKALLEN December

Statistics based on data from: Bottenhavet

— Mean 1991-2020

■ St.Dev.

● 2024-12-06











STATION SR1A/C11 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles SR1A/C11 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-07











STATION SR3/C24 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles SR3/C24 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-07











STATION MS6 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles MS6 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-07









STATION MS4 / C14 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles MS4 / C14 December

— Mean 1991-2020 St.Dev. ● 2024-12-07




STATION MS2/C13 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles MS2/C13 December

Statistics based on data from: Bottenhavet







— Mean 1991-2020 St.Dev. ● 2024-12-08





STATION C3 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 184 m)



Vertical profiles C3
December









STATION GAVIK-1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles GAVIK-1 December







— Mean 1991-2020 St.Dev. ● 2024-12-08





STATION B7 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 20 m)



Vertical profiles B7
December











STATION F16 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Norra Kvarken


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles F16 December

Statistics based on data from: Norra Kvarken

— Mean 1991-2020 St.Dev. ● 2024-12-08











STATION F13/A19 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles F13/A19 December

Statistics based on data from: Bottenviken







— Mean 1991-2020 St.Dev. ● 2024-12-08





STATION F9 / A13 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 120 m)



Vertical profiles F9 / A13 December

— Mean 1991-2020 St.Dev. ● 2024-12-09











STATION RR1/A8 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles RR1/A8 December

Statistics based on data from: Bottenviken







— Mean 1991-2020 St.Dev. ● 2024-12-09





STATION F3 / A5 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles F3 / A5 December

— Mean 1991-2020 St.Dev. ● 2024-12-09




STATION RR5 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles RR5 December

Statistics based on data from: Bottenviken

— Mean 1991-2020 St.Dev. ● 2024-12-09




STATION RR7 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles RR7 December

Statistics based on data from: Bottenviken

— Mean 1991-2020 St.Dev. ● 2024-12-09











STATION BO3 / A3 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenviken


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles BO3 / A3 December

Statistics based on data from: Bottenviken

— Mean 1991-2020 St.Dev. ● 2024-12-09











STATION F18 SYDOSTBROTEN SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Norra Kvarken


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles F18 SYDOSTBROTEN December

Statistics based on data from: Norra Kvarken

— Mean 1991-2020 St.Dev. ● 2024-12-10











STATION US5B / C1 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024




Vertical profiles US5B / C1

December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-10











STATION F26 / C15 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles F26 / C15 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-10











STATION SR8 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles SR8 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-10




STATION SS29 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles SS29 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-11











STATION SR5/LL4 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Bottenhavet


— Mean 1991-2020 St.Dev. ● 2024



Vertical profiles SR5/LL4 December

Statistics based on data from: Bottenhavet

— Mean 1991-2020 St.Dev. ● 2024-12-11











STATION TRÖSKELN ÅLANDS HAV SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020 St.Dev. ● 2024




Vertical profiles TRÖSKELN ÅLANDS HAV December

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020

■ St.Dev.







● 2024-12-12





STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024




OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 December

— Mean 1991-2020 St.Dev. ● 2024-12-12









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ December

— Mean 1991-2020 St.Dev. ● 2024-12-12









STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ December

— Mean 1991-2020 St.Dev. ● 2024-12-12









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 December









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024



OXYGEN IN BOTTOM WATER (depth >= 80 m)




Vertical profiles BCS III-10 December

— Mean 1991-2020

■ St.Dev.

● 2024-12-13









STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ December









STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 80 m)









Vertical profiles BY4 CHRISTIANSÖ December





STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN December









STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA
December









STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024



OXYGEN IN BOTTOM WATER (depth >= 39 m)









Vertical profiles BY1 December

— Mean 1991-2020

■ St.Dev.

● 2024-12-14



STATION FLINTEN7 SURFACE WATER (0-10 m)









Annual Cycles

Statistics based on data from: Öresund

— Mean 1991-2020

■ St.Dev.

● 2024




Vertical profiles FLINTEN7

December

Statistics based on data from: Öresund

— Mean 1991-2020 St.Dev. ● 2024-12-14









STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles W LANDSKRONA December

— Mean 1991-2020 St.Dev. ● 2024-12-14









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024



OXYGEN IN BOTTOM WATER (depth >= 52 m)




Vertical profiles ANHOLT E December

— Mean 1991-2020

■ St.Dev.

● 2024-12-15









STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXOGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG December









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 74 m)









Vertical profiles FLADEN December





STATION P2 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles P2 December

