







STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ

November









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 82 m)



Vertical profiles Å13 November









STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 300 m)



Vertical profiles A17 November

— Mean 1991-2020 St.Dev. ● 2024-11-08









STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles A15 November

— Mean 1991-2020 St.Dev. ● 2024-11-08









STATION P2 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles P2 November









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




OXYGEN IN BOTTOM WATER (depth >= 74 m)



Vertical profiles FLADEN November

— Mean 1991-2020 St.Dev. ● 2024-11-09









STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG November









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 52 m)



Vertical profiles ANHOLT E November









STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 40 m)









Vertical profiles W LANDSKRONA November





STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 39 m)



Vertical profiles BY1 November









STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA
November









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN November









STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ November









STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY5 BORNHOLMSDJ November









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BCS III-10 November









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 November









STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ November









STATION BY20 FÅRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ November









STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 November









STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ
November









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ November









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ November









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



OXYGEN IN BOTTOM WATER (depth >= 100 m)




Vertical profiles BY38 KARLSÖDJ November




STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2024



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE November

