









STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 64 m)









Vertical profiles SLÄGGÖ May





STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth ≥ 82 m)









Vertical profiles A13 May





STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 300 m)









Vertical profiles Å17 May





STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 125 m)









Vertical profiles Å15 May





STATION P2 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 75 m)









Vertical profiles P2 May





STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 74 m)









Vertical profiles FLADEN May





STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 25 m)









Vertical profiles N14 FALKENBERG May





STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 52 m)



Vertical profiles ANHOLT E May











STATION P22 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Kattegatt


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles P22 May

Statistics based on data from: Kattegatt







— Mean 1991-2020 ■ St.Dev. ● 2026-05-05





STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 40 m)




Vertical profiles W LANDSKRONA May

— Mean 1991-2020

■ St.Dev.

● 2026-05-05











STATION FLINTEN 7 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Öresund


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles FLINTEN 7 May

Statistics based on data from: Öresund







— Mean 1991-2020 ■ St.Dev. ● 2026-05-05





STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 39 m)









Vertical profiles BY1 May





STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA May







— Mean 1919-2020 St.Dev. ● 2026-05-06





STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 70 m)









Vertical profiles HANÖBUKTEN May





STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 80 m)









Vertical profiles BY4 CHRISTIANSÖ May





STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 80 m)









Vertical profiles BY5 BORNHOLMSDJ May





STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BCS III-10 May







— Mean 1919-2020 ■ St.Dev. ● 2026-05-07





STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 May

— Mean 1991-2020 ■ St.Dev. ● 2026-05-07











STATION ÖSTERGARNSHOLM PRICKEN SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Östra Ölands, sydöstra Gotlands kustvatten samt Gotska sandön


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles ÖSTERGARNSHOLM PRICKEN May

Statistics based on data from: Östra Ölands, sydöstra Gotlands kustvatten samt Gotska sandön







— Mean 1991-2020 ■ St.Dev. ● 2026-05-08





STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ May

— Mean 1991-2020 St.Dev. ● 2026-05-08









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2026




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY20 FÅRÖDJ May







— Mean 1991-2020 St.Dev. ● 2026-05-08





STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026









OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 May

— Mean 1991-2020 ■ St.Dev. ● 2026-05-09











STATION HUVUDSKÄR SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Norra Egentliga Östersjön


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles HUVUDSKÄR May

Statistics based on data from: Norra Egentliga Östersjön

— Mean 1991-2020 ■ St.Dev. ● 2026-05-09




STATION BY30 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles BY30 May

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020 St.Dev. ● 2026-05-09





STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ May







— Mean 1991-2020 St.Dev. ● 2026-05-09





STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 175 m)









Vertical profiles BY32 NORRKÖPINGSDJ May





STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026




OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ May

— Mean 1991-2020 St.Dev. ● 2026-05-09











STATION KÅREHAMN 4 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles KÅREHAMN 4 May

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020 ■ St.Dev. ● 2026-05-10











STATION KÅREHAMN 3 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles KÅREHAMN 3 May

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020 St.Dev. ● 2026-05-10











STATION KÅREHAMN 2 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles KÅREHAMN 2 May

Statistics based on data from: Västra Gotlandshavet

— Mean 1991-2020 ■ St.Dev. ● 2026-05-10











STATION KÅREHAMN 1 SURFACE WATER (0-10 m)

Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020 St.Dev. ● 2026



Vertical profiles KÅREHAMN 1 May

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020 ■ St.Dev. ● 2026-05-10





STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020 St.Dev. ● 2026



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY39 ÖLANDS S UDDE May

