







STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 64 m)



Vertical profiles SLÄGGÖ

May









STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 82 m)



Vertical profiles A13 May









STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 300 m)



Vertical profiles Å17 May









STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 125 m)









Vertical profiles A15 May





STATION P2 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020 St.Dev. ● 2025



OXYGEN IN BOTTOM WATER (depth >= 75 m)



Vertical profiles P2 May









STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 74 m)



Vertical profiles FLADEN May









STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 25 m)



Vertical profiles N14 FALKENBERG May









STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXOGEN IN BOTTOM WATER (depth >= 52 m)



Vertical profiles ANHOLT E May









STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles W LANDSKRONA May









STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 39 m)



Vertical profiles BY1 May









STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 40 m)



Vertical profiles BY2 ARKONA May









STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 70 m)



Vertical profiles HANÖBUKTEN May









STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 80 m)



Vertical profiles BY4 CHRISTIANSÖ May









STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 80 m)




Vertical profiles BY5 BORNHOLMSDJ May

— Mean 1991-2020

■ St.Dev.

● 2025-05-08









STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 80 m)




Vertical profiles BCS III-10 May

— Mean 1991-2020

■ St.Dev.

● 2025-05-08









STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 125 m)



Vertical profiles BY10 May

— Mean 1991-2020 St.Dev. ● 2025-05-09









STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



OXYGEN IN BOTTOM WATER (depth >= 225 m)



Vertical profiles BY15 GOTLANDSDJ May









STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 175 m)









Vertical profiles BY20 FÅRÖDJ May

— Mean 1991-2020

■ St.Dev.

● 2025-05-09









STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 150 m)



Vertical profiles BY29 / LL19 May

— Mean 1991-2020 St.Dev. ● 2025-05-10









STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 419 m)



Vertical profiles BY31 LANDSORTSDJ May

— Mean 1991-2020 St.Dev. ● 2025-05-10









STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




OXYGEN IN BOTTOM WATER (depth >= 175 m)



Vertical profiles BY32 NORRKÖPINGSDJ May

— Mean 1919-2020 St.Dev. ● 2025-05-10









STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025



OXYGEN IN BOTTOM WATER (depth >= 100 m)



Vertical profiles BY38 KARLSÖDJ May

