







# STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



## OXYGEN IN BOTTOM WATER (depth >= 64 m)









# Vertical profiles SLÄGGÖ September





# STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 82 m)



# Vertical profiles Å13 September









# STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




## OXYGEN IN BOTTOM WATER (depth >= 300 m)



# Vertical profiles Å17 September

— Mean 1991-2020    St.Dev.    ● 2025-09-24









# STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




## OXYGEN IN BOTTOM WATER (depth >= 125 m)



# Vertical profiles Å15 September







— Mean 1991-2020    St.Dev.    ● 2025-09-24





# STATION P2 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 75 m)









# Vertical profiles P2 September





# STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth ≥ 74 m)









# Vertical profiles FLADEN September





# STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 25 m)









# Vertical profiles N14 FALKENBERG September





# STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 52 m)



# Vertical profiles ANHOLT E September











# STATION P22 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Kattegatt


— Mean 1991-2020    St.Dev.    ● 2025



# Vertical profiles P22 September

Statistics based on data from: Kattegatt







— Mean 1991-2020    ■ St.Dev.    ● 2025-09-25





# STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 40 m)



# Vertical profiles W LANDSKRONA September











# STATION FLINTEN7 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Öresund


— Mean 1991-2020    ■ St.Dev.    ● 2025



# Vertical profiles FLINTEN7 September

Statistics based on data from: Öresund







— Mean 1991-2020    ■ St.Dev.    ● 2025-09-25





# STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 39 m)









# Vertical profiles BY1 September





# STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2025




## OXYGEN IN BOTTOM WATER (depth >= 40 m)



# Vertical profiles BY2 ARKONA September

— Mean 1919-2020    ■ St.Dev.    ● 2025-09-26









# STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



## OXYGEN IN BOTTOM WATER (depth >= 70 m)









# Vertical profiles HANÖBUKTEN September





# STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 80 m)









# Vertical profiles BY4 CHRISTIANSÖ September





# STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2025









## OXYGEN IN BOTTOM WATER (depth ≥ 80 m)



# Vertical profiles BY5 BORNHOLMSDJ September







— Mean 1919-2020    St.Dev.    ● 2025-09-26





# STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 40 m)



# Vertical profiles BY39 ÖLANDS S UDDE September









# STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2025




## OXYGEN IN BOTTOM WATER (depth >= 100 m)



# Vertical profiles BY38 KARLSÖDJ September

— Mean 1991-2020    St.Dev.    ● 2025-09-27




# STATION KNOLLS GRUND SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2025



# Vertical profiles KNOLLS GRUND September

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020    ■ St.Dev.    ● 2025-09-27





# STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2025




## OXYGEN IN BOTTOM WATER (depth >= 175 m)



# Vertical profiles BY32 NORRKÖPINGSDJ September







— Mean 1991-2020    St.Dev.    ● 2025-09-27





# STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2025




## OXYGEN IN BOTTOM WATER (depth >= 419 m)



# Vertical profiles BY31 LANDSORTSDJ September

— Mean 1991-2020    St.Dev.    ● 2025-09-27











# STATION HUVUDSKÄR BUOY SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Norra Egentliga Östersjön


— Mean 1991-2020    St.Dev.    ● 2025



# Vertical profiles HUVUDSKÄR BUOY September

Statistics based on data from: Norra Egentliga Östersjön







— Mean 1991-2020    ■ St.Dev.    ● 2025-09-28





# STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth >= 150 m)



# Vertical profiles BY29 / LL19 September









# STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2025



## OXYGEN IN BOTTOM WATER (depth >= 175 m)









# Vertical profiles BY20 FÅRÖDJ September





# STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2025




## OXYGEN IN BOTTOM WATER (depth >= 225 m)



# Vertical profiles BY15 GOTLANDSDJ September







— Mean 1991-2020    St.Dev.    ● 2025-09-28





# STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2025




## OXYGEN IN BOTTOM WATER (depth >= 125 m)



# Vertical profiles BY10 September







— Mean 1991-2020    St.Dev.    ● 2025-09-29





# STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2025



## OXYGEN IN BOTTOM WATER (depth ≥ 80 m)



# Vertical profiles BCS III-10 September

