

DECEMBER 2011 – LUFTEMPERATUR OCH NEDERBÖRD

SMHI – 2011

Dag	Katterjåkk				Karesuando				Gunnarn				Haparanda				Frösön*			
	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm
	Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min	
1	2.1	4.5	-1.4	0.1	-0.3	1.8	-1.2	5.0	1.8	4.2	-1.4	0.0	4.2	5.5	2.2	0.9	3.3	5.4	0.4	0.0
2	-0.4	4.0	-1.8	10.6	0.8	2.3	-0.2	0.5	1.3	3.0	0.0	0.0	4.1	5.2	3.4	0.5	1.1	4.4	-0.7	0.0
3	-6.5	-1.2	-8.9		-7.2	0.7	-13.0	0.5	-3.0	0.2	-6.7	1.6	-0.3	3.7	-3.8	2.8	-0.6	1.1	-2.6	0.2
4	-2.5	0.6	-7.4		-2.4	-0.1	-7.6	3.3	-1.3	0.4	-2.7	1.4	1.8	2.5	0.4	8.3	-0.3	1.5	-2.3	2.4
5	-6.1	-3.5	-8.9		-1.9	-0.9	-3.0	0.2	-3.8	-2.1	-5.4	2.4	0.7	2.6	0.1	5.4	-1.1	1.1	-3.5	2.3
6	-6.4	-4.3	-8.8	0.5	-4.2	-2.8	-4.8	0.6	-4.6	-3.5	-5.9	0.0	-1.1	0.3	-2.9	1.0	-1.5	1.3	-4.1	2.4
7	-5.2	-2.9	-8.8	0.0	-13.7	-4.7	-18.3	3.4	-6.8	-5.1	-9.7	0.6	-3.0	-0.1	-6.7	1.7	-3.5	-1.3	-6.7	4.6
8	-9.3	-6.1	-11.7		-12.9	-9.3	-18.6	1.0	-6.2	-5.8	-8.7	0.5	-0.4	1.1	-4.2	9.4	-5.0	-2.0	-8.5	2.7
9	-6.0	-4.5	-11.0	0.0	-6.6	-3.2	-15.2	2.0	-3.0	-1.2	-5.9	7.2	-0.5	1.1	-1.5	5.0	-2.3	-0.2	-7.4	22.4
10	-5.7	-4.1	-6.4	4.9	-5.0	-4.2	-5.5	4.4	-2.7	-1.2	-4.0	1.3	-2.0	-0.7	-2.6	5.1	-1.6	-0.6	-2.5	2.7
11	-6.7	-5.4	-9.1	0.6	-11.4	-5.4	-16.6		-13.6	-4.0	-19.5		-3.9	-2.1	-5.3	0.9	-4.9	-2.4	-6.3	0.3
12	-8.2	-5.1	-11.4		-19.0	-10.1	-24.0	2.9	-18.3	-12.6	-23.9	7.9	-10.8	-4.6	-16.9	5.2	-3.6	-0.3	-9.1	4.1
13	-10.1	-6.1	-11.9	0.2	-9.4	-6.4	-18.9	3.5	-7.3	-5.4	-12.6	2.7	0.4	-2.0	-6.0	5.0	-1.4	0.6	-3.9	0.4
14	-2.2	1.1	-12.4	0.0	-1.3	-0.1	-6.8	2.6	-0.3	0.4	-5.4	1.5	1.8	2.7	0.5	3.9	0.7	1.6	-0.1	0.0
15	0.2	2.3	-1.4		0.5	1.3	-0.4	0.6	0.2	0.7	-0.4	0.6	1.6	3.1	0.3	9.3	0.8	2.0	0.1	0.0
16	-4.2	-0.6	-8.0		-1.6	0.0	-2.5	0.5	-6.1	-0.1	-8.8	1.7	1.9	2.6	0.2	2.5	-2.3	0.2	-4.9	
17	-8.5	-5.5	-10.7		-3.9	-1.9	-6.7	0.4	-3.3	-0.7	-5.9	0.2	0.8	2.3	-0.1	1.3	-3.9	-0.2	-6.7	0.1
18	-7.4	-4.7	-10.9		-4.0	-1.2	-8.6	1.4	-2.4	-1.9	-5.2	12.9	0.3	0.8	-0.2	9.9	-2.5	-1.5	-2.9	12.7
19	-3.4	-2.4	-5.3		-3.2	-2.3	-4.5	3.9	-3.2	-2.1	-4.3	4.0	0.1	1.0	-0.2	1.5	-2.7	-2.4	-3.0	9.0
20	-3.7	-2.2	-6.7	0.0	-4.2	-2.2	-5.7	1.6	-6.6	-3.8	-8.8	0.0	-0.6	0.3	-1.1	2.6	-2.5	-1.3	-4.5	6.1
21	-3.7	-2.2	-4.9	0.9	-7.3	-5.6	-9.8	0.8	-9.4	-8.3	-10.2	0.5	0.2	0.7	-1.0	1.9	-3.0	-1.7	-4.5	0.0
22	-7.4	-4.9	-9.6	0.0	-9.5	-6.7	-14.2	0.0	-17.2	-8.2	-21.0	0.0	-1.2	0.4	-3.2	3.8	-5.0	-2.9	-9.2	
23	-3.7	3.3	-9.9	2.4	-3.4	-0.7	-7.2	2.5	-5.1	-2.0	-16.8	4.1	1.3	2.5	-0.9	8.5	-0.3	1.9	-5.8	0.9
24	-1.7	2.1	-5.1	5.3	-1.7	0.8	-3.3		-3.6	0.5	-8.9		0.8	2.6	-0.3		-1.4	1.9	-3.8	
25	-1.0	0.5	-5.1	3.3	-5.0	-3.1	-8.2		-2.0	0.9	-9.8	0.6	1.2	2.1	-3.4	5.1	0.7	2.2	-4.4	0.2
26	-1.7	0.2	-3.4	2.2	-3.7	0.8	-6.9		0.6	2.9	-3.9	1.2	0.3	2.8	-0.8	4.4	1.5	6.1	0.0	3.2
27	-5.1	-2.8	-8.1	9.3	-13.1	-3.4	-21.0		-1.1	3.7	-2.7	0.0	0.1	2.9	-2.4	0.5	-0.4	5.7	-2.7	5.0
28	-5.3	-3.2	-8.0	1.4	-7.0	-2.9	-10.1	0.0	-6.5	-2.0	-10.3	8.4	-4.9	-1.2	-9.3	1.7	-1.6	-0.2	-2.5	0.5
29	-7.1	-5.5	-10.3	0.0	-10.3	-6.4	-17.4	1.7	-4.7	-3.1	-8.7	4.9	-4.6	-1.5	-9.2	4.9	-1.3	1.1	-3.6	0.2
30	-9.1	-6.9	-11.3	0.1	-6.8	-6.2	-8.5	2.6	-10.9	-5.8	-13.5		-4.0	-3.5	-5.4	6.4	-3.7	-1.0	-5.3	
31	-12.0	-10.2	-15.2		-5.6	-4.4	-7.2	0.7	-16.5	-10.4	-21.2	0.0	-4.7	-3.6	-5.5	0.3	-6.3	-2.3	-11.3	0.1
Dag	Härnösand				Särna				Karlstad**				Stockholm				Falun			
	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm
	Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min	
1	3.3	5.0	-0.9		3.1	4.3	-2.4	4.7	6.1	7.3	2.6		5.3	6.7	3.5	0.2	4.9	6.6	-0.2	0.7
2	2.1	5.7	-0.1		-3.4	3.1	-7.0		0.0	6.0	-4.2		3.3	6.2	1.2		0.8	5.7	-1.6	
3	0.2	3.2	-3.5	8.9	-1.7	0.6	-10.9	9.1	3.2	5.1	-6.7	2.0	2.1	5.0	-1.0	7.2	-1.2	1.7	-5.5	1.6
4	0.8	3.1	-1.3		-4.1	1.1	-6.0		2.4	5.2	0.8		4.4	5.7	3.5		-0.4	2.5	-1.2	
5	-2.3	0.6	-3.7	1.0	-9.3	-4.0	-13.5	0.1	-0.3	1.6	-2.6	0.0	1.4	3.8	0.1	0.5	-2.6	-0.2	-5.3	
6	-4.2	0.0	-6.2		-16.4	-9.3	-19.0		0.0	2.5	-3.9		0.5	2.0	-0.4	0.0	-4.9	0.1	-7.4	0.3
7	-5.4	-2.4	-8.8	5.2	-11.0	-8.9	-19.3	0.1	0.1	2.6	-0.9	5.5	1.7	2.9	-1.1	1.0	-2.3	-0.9	-7.7	3.7
8	-4.9	-1.9	-7.2	0.2	-16.3	-6.3	-20.3	4.6	-2.5	2.3	-7.3	8.6	-0.4	2.1	-1.7	9.3	-4.9	-0.9	-10.1	5.1
9	1.2	3.3	-10.9	34.7	-3.7	-1.2	-19.2	0.4	2.4	4.4	-0.1	6.8	2.9	5.0	-1.7	8.4	-0.1	0.8	-5.0	10.2
10	2.3	4.0	0.9	1.7	-5.5	-2.1	-10.1	2.1	-1.0	1.5	-2.2		2.4	4.7	1.1	0.1	-1.0	0.7	-2.5	
11	-3.8	1.2	-6.9		-14.0	-2.4	-17.3	3.8	-3.6	-1.3	-6.5	8.4	0.3	2.2	-0.7	1.1	-5.2	-0.5	-8.6	2.1
12	-1.8	2.1	-9.2	12.6	-3.9	0.2	-16.5	3.5	2.8	4.7	-2.4	3.7	2.9	3.8	-0.2	1.9	-0.5	1.2	-8.6	6.0
13	1.9	3.4	0.0	6.4	-1.1	0.3	-4.0	3.7	3.5	4.3	0.8	5.8	3.7	5.1	2.7	4.3	1.6	1.9	0.2	2.0
14	2.8	3.8	0.0		0.3	1.1	-0.9	3.0	3.9	5.1	1.4	0.1	4.1	4.7	3.4	0.2	1.8	2.4	0.9	0.6
15	2.7	3.5	1.8	1.7	-0.6	1.2	-2.2	0.1	4.1	4.7	3.4	0.0	3.1	4.8	2.0	0.3	1.9	2.8	1.2	
16	0.4	2.5	-1.8	3.8	-3.8	-1.1	-9.1	1.5	2.3	5.0	0.4	0.5	2.9	4.9	2.2	2.5	1.3	3.1	0.2	0.2
17	1.3	2.4	0.1	4.2	-4.9	-2.2	-8.5	1.0	1.0	1.3	0.4	0.2	2.1	3.5	0.2	21.3	0.9	1.6	0.3	
18	0.5	2.1	0.0	13.1	-3.3	-2.6	-5.5	0.3	-0.4	1.2	-2.0	0.7	0.8	1.4	0.5	6.3	-0.3	1.0	-0.9	6.3
19	0.6	1.1	0.3	1.1	-2.7	-2.2	-3.4	0.9	0.4	1.2	-1.5		0.3	0.6	-0.1	3.0	-1.1	-0.6	-1.6	1.0
20	-3.5	0.6	-6.4	2.2	-10.7	-1.7	-16.3		-1.3	1.0	-4.9	5.8	0.9	1.7	-0.4	0.1	-2.3	-1.1	-4.7	
21	-3.6	-2.3	-6.2	1.0	-18.0	-13.5	-23.3		-2.0	-0.4	-4.5		0.4	1.0	-0.3		-6.3	-2.3	-7.5	
22	-8.1	-3.7	-11.2		-12.8	-6.5	-20.0		0.0	2.0	-2.9	5.0	-0.4	0.3	-1.3	0.2	-3.6	-0.5	-9.4	1.0
23	-0.1	1.9	-7.1	0.5	-3.6	2.6	-12.3		5.9	8.0	2.0	2.0	3.7	5.8	0.2	6.4	2.5	5.0	-0.5	
24	-1.2	1.4	-3.3		-14.8	-1.3	-20.5		-0.7	7.2	-5.3		3.2	6.6	0.3	0.0	-1.4	5.5	-5.0	
25	0.9	3.6	-6.1	1.5	-1.6	3.0	-18.5		4.8	6.4	-4.7	0.2	4.1	6.7	-0.5	0.0	3.8	5.5	-5.8	1.1
26	4.4	7.6	1.8	0.8	1.5	5.5	-3.0	0.4	7.9	10.7	5.4		8.2	11.0	6.3		5.7	8.6	1.6	
27	2.9	7.5	-0.2		0.7	7.8	-2.9	0.4	6.7	10.5	4.0		8.3	11.3	5.3		4.8	9.8	1.1	
28	-0.1	1.6	-1.8	10.5	-4.2	0.1	-11.1	5.6	2.9	4.5	0.3	4.3	2.6	5.6	0.5	0.2	-0.7	1.7	-4.9	1.4
29	1.9	2.8	0.9	0.2	-1.0	1.9	-4.1	0.8	4.0	5.4	3.2	8.2	4.9	6.5	4.0	0.3	2.5	4.0	1.5	3.3
30	-4.1	1.5	-7.0		-8.3	-1.8	-12.0		-1.1	3.2	-2.5		0.7	4.0	-0.3		-0.8	2.2	-2.2	
31	-5.5	-2.9	-8.7		-17.4	-11.7	-21.0	2.6	-6.0	-2.1	-8.8	5.9	-2.4	-0.3	-3.2		-6.8	-1.7	-9.1	
Dag	Göteborg				Malmslätt				Lund				Växjö				Visby			
	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm
	Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min	
1	7.8	8.7	6.5	5.2	5.8	7.5	1.9	0.4	6.3	7.9	4.4	3.7	4.7	5.7	1.6	1.6	4.9	6.7	2.5	1.0
2	6.0	7.7	4.8	0.4	2.5	6.6	-2.4	0.2	4.8	7.6	3.8	4.3	2.8	6.1	1.0	2.5	4.9	6.6	3.9	2.1
3	6.8	8.0	4.2	18.0	1.7	4.4	-2.7	1.0	5.5	6.5	3.2	6.5	3.0	3.8	-0.9	8.2	3.0	5.6	0.5	8.0
4	5.3	7.6	4.3	1.8	3.4	6.5	2.1		4.0	6.6	3.2		2.2	4.5	0.7	5.8	4.2	5.6	3.2	
5	3.5	5.3	1.5	5.8	0.7	3.6														