Bibliometric summary:
In total 553 citations of which 300 are since 2018.
H-index is 11 in total and 11 since 2018.
Source: Google Scholar 2023-10-05.

Publications in international peer reviewed journals

19. Brévière, E., Hammar, L., **Wåhlström, I.**, Pålsson, J., Arneborg, L., Almroth-Rosell, E., Jonsson, P., 2023. Why We Must Think About Climate Change When Planning How to Use Our Seas. Front. Young Minds 11:1029011. doi: 10. 3389/frym.2023.1029011

18. **Wåhlström, I**., Hammar, L., Hume, D., Pålsson, J., Almroth-Rosell, E., Dieterich, C., Arneborg, L., Gröger, M., Mattsson, M., Zillén Snowball, L., Kågesten, G., Törnqvist, O., Breviere, E., Brunnabend, S.-E., & Jonsson, P. R., 2022. Projected climate change impact on a coastal sea—As significant as all current pressures combined. Global Change Biology, 28(17), 5310-5319. https://doi.org/10.1111/gcb.16312

17. Clement Kinney, J., Assmann, K. M., Maslowski, W., Björk, G., Jakobsson, M., Jutterström, S., Lee, Y. J., Osinski, R., Semiletov, I., Ulfsbo, A., **Wåhlström, I**., and Anderson, L. G., 2022. On the circulation, water mass distribution, and nutrient concentrations of the western Chukchi Sea, Ocean Sci., 18, 29–49. https://doi.org/10.5194/os-18-29-2022

16. Almroth-Rosell, E., **Wåhlström, I.**, Hansson, M., Väli, G., Eilola, K., Andersson, P., Viktorsson, L., Hieronymus, M., Arneborg, L., 2021. A Regime Shift Toward a More Anoxic Environment in a Eutrophic Sea in Northern Europe. Front. Mar. Sci. 8:799936. https://doi.org/10.3389/fmars.2021.799936

15. Jonsson P.R., Hammar L., **Wåhlström, I**., Pålsson, J., Hume, D., Almroth-Rosell, E., Mattsson M., Combining seascape connectivity with cumulative impact assessment in support of ecosystem-based marine spatial planning. J Appl Ecol. 2021; 58:576–586. http://dx.doi.org/10.1111/1365-2664.13813

14. Bossier, S., Nielsen, J.R., Almroth-Rosell, E., Höglund, A., Bastardie, F., Neuenfeldt, S., **Wåhlström, I.,** Christensen, A., 2021. Integrated ecosystem impacts of climate change and eutrophication on main Baltic fishery resources, Ecological Modelling, Volume 453, 109609, ISSN 0304-3800, https://doi.org/10.1016/j.ecolmodel.2021.109609

13. **Wåhlström, I.**, Höglund, A., Almroth-Rosell, E., MacKenzie, B.R., Gröger, M., Eilola, K., Plikshs, M., Andersson, H.C., 2020. Combined climate change and nutrient load impacts on future habitats and eutrophication indicators in a eutrophic coastal sea. Limnol. Oceanogr. 65, 2170–2187. https://doi.org/10.1002/lno.11446

12. Gogina, M., Zettler, M. L., **Wåhlström, I.,** Andersson, H., Radtke, H., Kuznetsov, I., MacKenzie, B. R., 2020. A combination of species distribution and ocean-biogeochemical models suggests that climate change overrides eutrophication as the driver of future distributions of a key benthic crustacean in the estuarine ecosystem of the Baltic Sea, *ICES Journal of Marine Science*, Volume 77, Issue 6, 2089–2105, https://doi.org/10.1093/icesjms/fsaa107

11. Meier, H. E. M., Dieterich, C., Eilola, K., Gröger, M., Höglund, A., Radtke, H., Saraiva, S., **Wåhlström, I.** 2019. Future projections of record-breaking sea surface temperature and cyanobacteria bloom events in the Baltic Sea. Ambio, 48(11, 1362-1376. https://doi.org/10.1007/s13280-019-01235-5

10. Edman, M., Eilola, K., Almroth-Rosell, E., Meier, H.E.M, **Wåhlström, I.**, Arneborg, L., 2018. Nutrient retention in the Swedish Coastal Zone, Front. Mar. Sci. 5:415. https://doi.org/10.3389/fmars.2018.00415

9. **Wåhlström, I.**, Dieterich, C., Pemberton, P., Meier H.E.M., 2016. Impact of increasing inflow of warm Atlantic water on the sea-air exchange of carbon dioxide and methane in the Laptev Sea, J. Geophys. Res. Biogeosci., 121, 1867-1883. https://doi.org/10.1002/2015JG003307

8. **Wåhlström, I.**, Meier H.E.M., 2014. Sensitivity of the sea-air exchange of CH4 in the Laptev Sea, Arctic Ocean; A model study. Tellus B, 66:1. https://doi.org/10.3402/tellusb.v66.24174

7. Anderson, L.G., Andersson, P.S., Björk, G., Jones, E.P., Jutterström, S., **Wåhlström, I**., 2013. Source and formation of the upper halocline of the Arctic Ocean, J. Geophys. Res. Oceans, 118, 410–421. https://doi.org/10.1029/2012JC008291

6. **Wåhlström, I**., Omstedt, A., Björk, G., Anderson, L.G., 2013. Modelling the CO2 dynamics in the Laptev Sea, Arctic Ocean: Part II Sensitivity of fluxes to changes in the forcing, J. Mar. Syst., 111-112, 1-10. https://doi.org/10.1016/j.jmarsys.2012.09.001

5. **Wåhlström, I**., Omstedt, A., Björk, G., Anderson, L.G., 2012. Modelling the CO2 dynamics in the Laptev Sea, Arctic Ocean: Part I, J. Mar. Syst., 102-104, 29-38, https://doi.org/10.1016/j.jmarsys.2012.05.001.

4. Anderson, L.G., Björk, G., Jutterström, S., Pipko, I., Shakhova, N., Semiletov, I.P., **Wåhlström, I**., 2011. East Siberian Sea, an Arctic region of very high biogeochemical activity, Biogeosciences, 8, 1745–1754. https://doi.org/10.5194/bg-8-1745-2011

3. Pipko, I.I., Semiletov, I.P., Pugach, S.P., **Wåhlström, I**., and Anderson, L.G., 2011. Interannual variability of air-sea CO2 fluxes and carbonate system parameters in the East Siberian Sea, Biogeosciences, 8, 1987-2007. https://doi.org/10.5194/bg-8-1987-2011

2. Anderson L.G., Tanhua, T., Björk, G., Hjalmarsson, S., Jones, E. P., Jutterström, S., Rudels, B., Swift, J. H., **Wåhlstöm, I**., 2010. Arctic Ocean shelf – basin interaction, an active continental shelf CO_2 pump and its impact on the degree of calcium carbonate dissolution, Deep Sea Res., I 57, 869–879. https://doi.org/10.1016/j.dsr.2010.03.012

1. Anderson, L. G., Jutterström, S., Hjalmarsson, S., **Wåhlström, I**., and Semiletov, I. P., 2009. Out-gassing of CO2 from Siberian Shelf seas by terrestrial organic matter decomposition, Geophys. Res. Lett., 36, L20601, doi:10.1029/2009GL040046.

Peer reviewed conference proceedings

2. Karlson, B., Eilola, K., Johansson, J., Linders, J., Mohlin, M., Willstrand Wranne, A., **Wåhlström, I.**, 2017. Distribution of cyanobacteria blooms in the Baltic Sea. In: Proença, L.A.O. and Hallegraeff, G.M. (eds). Marine and Fresh-Water Harmful Algae. Proceedings of

the 17th International Conference on Harmful Algae. International Society for the Study of Harmful Algae 2017, 100-103. https://issha.org/wp-content/uploads/2018/05/ICHA-17-proceedings-2017.pdf

1. Eilola, K., Almroth-Rosell, E., Gröger, M., Hieronymus, J., Karlson, K., Liu, Y., Saraiva, S., **Wåhlström, I**., Hense, I., Meier, H.E.M., 2016. The role of the cyanobacteria life cycle on biogeochemistry of the Baltic Sea - a 3D high resolution coupled physical biogeochemical model study. In: Reckermann, M. and Köppen, S. (eds.). Multiple drivers for Earth system changes in the Baltic Sea region, Proceedings of the 1st International Baltic Earth Secretariat Publication No. 9.

Published reports

4. **Wåhlström, I**., Pålsson J., Törnqvist, O., Jonsson, P., Gröger, M., Almroth-Rosell, E., Bringing climate change into ecosystem based management of the sea: Data and methods for the Symphony framework, 2020. SMHI RO rapport no 68

3. Eilola, K., Lindqvist, S., Almroth-Rosell, E., Edman, M., **Wåhlström, I**., Bartoli, M., Burska, D., Carstensen, J., Hellemann, D., Hietanen, S., Hulth, S., Janas, U. 2017, Linking process rates with modelling data and ecosystem characteristics. SMHI Report Oceanography, No. 61

2. **Wåhlström, I.,** Eilola, K., Edman, M., Almroth-Rosell, E., 2017 Evaluation of open sea boundary conditions for the coastal zone. A model study in the northern part of the Baltic Proper. SMHI Report Oceanography, No. 55

1. Wesslander, K., Eilola, K., **Wåhlström, I**., Coastal eutrophication status assessment using HEAT 1.0 (WFD methodology) versus HEAT 3.0 (MSFD methodology) and Development of an oxygen consumption indicator. SMHI report Oceanography No. 51

Thesis

Wåhlström, I., 2012. Fluxes and transformation of carbon in the Siberian shelf seas under changing environment”. Ph.D. thesis, Dep. of chemistry and molecular biology, Faculty of Science, University of Gothenburg, Sweden. http://hdl.handle.net/2077/28865