







# STATION Å17 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




## OXYGEN IN BOTTOM WATER (depth >= 300 m)



# Vertical profiles A17 February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-06









# STATION Å16 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




## OXYGEN IN BOTTOM WATER (depth >= 193 m)



# Vertical profiles A16 February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-06









# STATION Å15 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




## OXYGEN IN BOTTOM WATER (depth >= 125 m)



# Vertical profiles A15 February







— Mean 1991-2020    ■ St.Dev.    ● 2024-02-07





# STATION Å14 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 100 m)



# Vertical profiles A14 February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-07











# STATION Å13 SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




## OXYGEN IN BOTTOM WATER (depth >= 82 m)



# Vertical profiles Å13 February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-07









# STATION SLÄGGÖ SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.

● 2024




## OXYGEN IN BOTTOM WATER (depth >= 64 m)



# Vertical profiles SLÄGGÖ February







— Mean 1991-2020    ■ St.Dev.    ● 2024-02-07





# STATION P2 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024



## OXYGEN IN BOTTOM WATER (depth >= 75 m)




# Vertical profiles P2 February

— Mean 1991-2020

■ St.Dev.







● 2024-02-07





# STATION FLADEN SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 74 m)



# Vertical profiles FLADEN February

— Mean 1991-2020    St.Dev.    ● 2024-02-08













# STATION N14 FALKENBERG SURFACE WATER (0-10 m)

Annual Cycles


— Mean 1991-2020    St.Dev.    ● 2024



## OXYGEN IN BOTTOM WATER (depth >= 25 m)









# Vertical profiles N14 FALKENBERG February





# STATION ANHOLT E SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 52 m)



# Vertical profiles ANHOLT E February







— Mean 1991-2020    St.Dev.    ● 2024-02-08





# STATION W LANDSKRONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 40 m)



# Vertical profiles W LANDSKRONA February

— Mean 1991-2020    St.Dev.    ● 2024-02-08











# STATION FLINTEN 7 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Öresund


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles FLINTEN 7 February

Statistics based on data from: Öresund

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-08













# STATION BY1 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 39 m)



# Vertical profiles BY1 February







— Mean 1991-2020    ■ St.Dev.    ● 2024-02-08





# STATION BY2 ARKONA SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 40 m)



# Vertical profiles BY2 ARKONA February

— Mean 1991-2020    St.Dev.    ● 2024-02-09











# STATION INFLOW 1 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Arkonahavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles INFLOW 1 February

Statistics based on data from: Arkonahavet

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-09











# STATION BY3 HAMRARNE SUND SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY3 HAMRARNE SUND February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020    St.Dev.    ● 2024-02-09













# STATION INFLOW 3 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles INFLOW 3 February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-09









# STATION HANÖBUKTEN SURFACE WATER (0-10 m)

Annual Cycles



— Mean 1991-2020

■ St.Dev.


● 2024



## OXYGEN IN BOTTOM WATER (depth >= 70 m)



# Vertical profiles HANÖBUKTEN February











# STATION INFLOW-4 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles INFLOW-4 February

Statistics based on data from: Bornholmshavet







— Mean 1991-2020    ■ St.Dev.    ● 2024-02-09





# STATION BY4 CHRISTIANSÖ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 80 m)



# Vertical profiles BY4 CHRISTIANSÖ February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-09













# STATION INFLOW 5 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles INFLOW 5 February

Statistics based on data from: Bornholmshavet

— Mean 1991-2020    St.Dev.    ● 2024-02-09











# STATION HANÖBUKTEN-KBV SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Bornholmshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles HANÖBUKTEN-KBV February

Statistics based on data from: Bornholmshavet







— Mean 1991-2020    ■ St.Dev.    ● 2024-02-09





# STATION BY39 ÖLANDS S UDDE SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 40 m)



# Vertical profiles BY39 ÖLANDS S UDDE February







— Mean 1991-2020    St.Dev.    ● 2024-02-09





# STATION BY5 BORNHOLMSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 80 m)



# Vertical profiles BY5 BORNHOLMSDJ February

— Mean 1991-2020    St.Dev.    ● 2024-02-10













# STATION STOLPE TRÖSKEL SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles STOLPE TRÖSKEL February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-10











# STATION BY7 STOLPE RÄNNA SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY7 STOLPE RÄNNA February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-10











# STATION PL-P1 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Gdanskbukten


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles PL-P1 February

Statistics based on data from: Gdanskbukten

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-10











# STATION PL-P63 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Gdanskbukten


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles PL-P63 February

Statistics based on data from: Gdanskbukten

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-11













# STATION BCS III-10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 80 m)



# Vertical profiles BCS III-10 February

— Mean 1919-2020    ■ St.Dev.    ● 2024-02-11











# STATION BY9 KLAIPEDA SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY9 KLAIPEDA February

Statistics based on data from: Östra Gotlandshavet







— Mean 1919-2020    ■ St.Dev.    ● 2024-02-11





# STATION BY10 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 125 m)



# Vertical profiles BY10 February

— Mean 1919-2020    ■ St.Dev.    ● 2024-02-11











# STATION BY11 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY11 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1919-2020    ■ St.Dev.    ● 2024-02-11













# STATION BY15 GOTLANDSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 225 m)



# Vertical profiles BY15 GOTLANDSDJ February

— Mean 1919-2020    ■ St.Dev.    ● 2024-02-11











# STATION BY13 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY13 February

Statistics based on data from: Östra Gotlandshavet

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-12











# STATION BY19 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY19 February

Statistics based on data from: Östra Gotlandshavet







— Mean 1991-2020    ■ St.Dev.    ● 2024-02-12





# STATION BY20 FÄRÖDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 175 m)



# Vertical profiles BY20 FÅRÖDJ February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-12













# STATION BY21 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Östra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY21 February

Statistics based on data from: Östra Gotlandshavet







— Mean 1991-2020    ■ St.Dev.    ● 2024-02-12





# STATION BY29 / LL19 SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 150 m)



# Vertical profiles BY29 / LL19 February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-12











# STATION BY30 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY30 February

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020    St.Dev.    ● 2024-02-12





# STATION BY31 LANDSORTSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 419 m)



# Vertical profiles BY31 LANDSORTSDJ February

— Mean 1991-2020    St.Dev.    ● 2024-02-13













# STATION BY32 NORRKÖPINGSDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024




## OXYGEN IN BOTTOM WATER (depth >= 175 m)



# Vertical profiles BY32 NORRKÖPINGSDJ February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-13











# STATION BY36 SURFACE WATER (0-10 m)

## Annual Cycles

Statistics based on data from: Västra Gotlandshavet


— Mean 1991-2020    St.Dev.    ● 2024



# Vertical profiles BY36 February

Statistics based on data from: Västra Gotlandshavet







— Mean 1991-2020    St.Dev.    ● 2024-02-13





# STATION BY38 KARLSÖDJ SURFACE WATER (0-10 m)

Annual Cycles

— Mean 1991-2020    St.Dev.    ● 2024



## OXYGEN IN BOTTOM WATER (depth >= 100 m)



# Vertical profiles BY38 KARLSÖDJ February

— Mean 1991-2020    ■ St.Dev.    ● 2024-02-13

