

FEBRUARI 2014 – LUFTTEMPERATUR OCH NEDERBÖRD

SMHI – 2014

Dag	Katterjåkk				Karesuando				Gunnarn				Haparanda				Frösön*			
	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm
	Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min	
1	-17.9	-13.2	-19.9	0.0	-18.8	-16.5	-20.1	0.4	-11.1	-10.5	-12.5	3.4	-11.7	-9.0	-21.5	4.5	-7.0	-5.8	-8.3	1.6
2	-12.5	-6.0	-21.4		-10.3	-7.4	-20.6	0.5	-3.2	-0.7	-11.0	0.2	-5.5	-3.8	-9.0	1.3	0.0	1.6	-6.2	
3	-8.9	-6.5	-12.1	8.0	-3.2	-1.6	-7.5	0.0	-0.6	2.2	-7.3	0.1	-0.8	0.3	-3.9	0.9	1.6	4.0	-0.4	
4	-2.7	1.0	-6.7	1.7	-4.2	-0.1	-9.3	0.0	-9.3	-0.9	-13.1		-2.4	0.1	-5.0	0.7	-2.8	1.4	-7.1	
5	-7.9	-4.2	-9.1	0.0	-6.1	-4.5	-12.4		-4.0	-2.7	-7.9	1.4	-1.6	-0.5	-2.3	0.2	-1.4	0.0	-2.4	
6	-6.9	-5.8	-9.8	0.8	-4.5	-4.0	-5.2	0.1	-3.4	-2.7	-4.0	0.8	-4.0	-2.3	-5.0	0.6	-2.7	-1.8	-3.4	0.5
7	-9.4	-5.9	-10.8		-6.7	-4.0	-8.2	0.2	-4.5	-3.6	-5.6	3.3	-5.5	-4.5	-6.6	0.6	-0.9	0.3	-2.9	1.0
8	-6.7	-5.1	-11.5	0.3	-5.5	-4.0	-7.7	3.0	-1.0	-0.4	-3.6	2.2	-1.1	0.4	-4.7	7.4	-1.7	0.8	-3.6	1.0
9	-3.3	-0.5	-7.1	0.0	-1.3	-0.2	-4.1	0.4	-0.6	0.6	-1.9	3.9	0.8	1.4	0.3	1.5	-0.6	0.7	-4.8	1.8
10	0.0	2.3	-2.3	0.0	0.1	0.1	-1.1	0.4	0.4	0.8	-0.5	0.4	1.3	1.8	0.5	0.4	1.8	2.8	0.0	
11	-3.6	2.0	-7.1		-0.3	0.4	-1.0	2.7	0.5	1.3	0.1	0.5	0.5	1.6	0.1	4.0	0.4	2.6	-1.1	0.0
12	-8.3	-5.2	-11.1		-2.4	-0.7	-3.2	0.3	-1.0	0.2	-1.9	1.1	0.1	0.2	-0.4	3.4	-0.8	0.3	-4.2	0.0
13	-7.3	-5.1	-11.9		-3.0	-2.4	-3.6	0.3	-2.0	0.7	-2.3	1.3	-0.4	0.6	-1.2	4.4	-2.5	-0.4	-4.9	0.0
14	-4.0	-0.9	-6.5		-2.3	-1.4	-3.6	0.9	-0.3	0.7	-2.1	0.8	0.0	0.7	-1.3	0.7	0.7	1.8	-1.3	
15	-4.7	-1.6	-8.6	1.1	-1.6	-0.7	-2.3	0.5	-0.4	0.7	-1.0	4.0	-0.1	0.6	-0.5	3.0	0.1	1.2	-1.1	0.2
16	-3.4	0.0	-4.7	0.3	-3.4	-2.3	-4.0	2.4	-0.5	0.6	-2.6	6.9	-0.7	0.3	-1.6	5.8	1.5	2.7	-1.2	1.7
17	-3.7	-3.0	-5.8	2.2	-1.6	-1.0	-3.4	3.6	0.3	1.3	-0.3	0.3	0.5	0.9	0.2	1.7	0.5	1.9	-0.8	0.0
18	-2.3	-1.1	-4.6	0.3	-5.1	-1.8	-8.2	0.6	-1.1	0.4	-2.1	1.6	-2.0	0.5	-3.8	0.0	-0.6	1.3	-1.7	0.0
19	-7.2	-1.9	-9.8		-10.2	-5.0	-16.7	0.4	-2.7	-1.0	-3.2	0.2	-6.7	-3.3	-9.4	0.1	-2.7	-0.6	-4.9	
20	-13.4	-8.9	-16.4	0.0	-17.8	-10.5	-22.3	0.4	-5.7	-3.1	-7.3	1.1	-6.0	-3.5	-8.8	1.2	-3.6	-1.7	-4.7	1.5
21	-13.9	-10.4	-19.1	0.1	-19.0	-11.1	-29.9	4.0	-6.5	-3.8	-11.3	4.3	-7.3	-5.8	-9.1	9.0	-3.2	-0.7	-6.1	1.3
22	-8.5	-5.6	-11.6	0.3	-6.3	-3.5	-11.1	0.2	-2.6	-0.6	-4.8	0.3	-1.8	0.2	-5.8		-0.5	2.3	-3.2	
23	-9.1	-6.5	-12.3	1.9	-2.6	-0.9	-4.9	0.1	0.7	2.8	-2.6	0.0	0.5	1.1	-1.0	0.8	3.3	4.9	0.3	0.0
24	1.9	4.1	-7.3	5.8	3.0	5.9	-1.3	0.5	5.2	6.5	2.3	0.0	1.6	2.8	0.9	0.0	5.9	7.6	4.4	
25	0.8	4.5	-0.2	1.9	2.1	5.0	0.3	0.0	2.0	6.6	-2.1		1.7	4.8	0.2	0.3	4.0	6.2	2.6	
26	-4.5	0.2	-6.6		-5.6	1.1	-12.3	0.2	0.0	1.6	-2.9	1.3	0.5	1.1	0.1		0.6	3.8	-0.8	0.2
27	-4.2	-1.5	-7.7	0.3	-1.7	-1.3	-1.9	1.4	-0.6	0.4	-1.1	0.4	-0.6	0.4	-0.9	0.8	1.6	3.3	-0.1	
28	-4.1	-0.9	-7.1		-4.1	-0.2	-9.2	0.1	0.5	1.8	-0.9	0.0	0.2	0.6	-0.7		0.8	2.8	-2.1	0.6

Dag	Härnösand				Särna				Karlstad**				Stockholm				Falun			
	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm
	Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min	
1	-2.8	-1.9	-5.3	5.9	-9.1	-6.8	-12.7	2.3	-2.7	-0.1	-5.3	5.4	0.1	0.9	-3.8	2.0	-3.0	-1.3	-5.7	1.6
2	0.2	1.0	-3.6	0.6	-0.5	0.8	-6.8	1.3	1.5	2.3	-0.2	0.2	1.7	2.1	0.5	2.2	-0.2	0.7	-5.1	
3	0.5	3.6	-1.8		-0.4	2.4	-4.7		1.5	2.2	1.1		1.8	2.8	0.9		1.8	3.2	0.1	
4	-2.6	0.7	-7.0	1.1	-2.7	0.3	-7.7	0.2	0.4	1.5	-0.5		0.9	2.5	-0.7		0.4	2.0	-0.9	
5	-0.1	0.5	-0.7		-2.4	-1.0	-3.2	0.2	-0.4	0.3	-0.9	0.6	1.3	2.0	0.5		-1.0	0.2	-1.4	
6	-0.9	0.0	-2.0	1.5	-3.2	-2.5	-3.8	1.1	-0.3	0.5	-1.6		0.9	1.6	0.0		-1.3	-1.0	-1.9	0.3
7	-0.3	0.8	-2.4	12.6	-0.7	0.7	-3.3	8.5	1.2	2.4	-0.1	12.5	2.3	4.2	0.5	7.8	0.4	1.6	-1.2	6.0
8	0.8	1.3	0.2	2.3	-1.4	1.3	-4.4	1.4	1.9	3.6	-0.1	9.6	3.3	4.7	1.3	0.3	1.1	1.9	0.2	1.9
9	1.0	2.1	-0.1	11.6	-0.6	0.3	-3.5	4.5	1.4	2.8	0.1	6.5	3.1	3.7	1.6	2.8	0.6	1.5	0.0	7.2
10	1.7	1.9	1.0	0.2	0.7	1.7	-0.4	0.9	2.4	3.2	1.7	1.2	3.2	4.4	2.1	0.4	1.8	2.5	0.7	
11	1.4	3.2	-0.3		-0.3	1.1	-2.7	0.5	1.3	2.4	0.7	1.7	2.0	3.1	1.1	0.3	1.1	3.2	0.2	1.2
12	0.3	1.1	0.1	4.4	-0.8	0.1	-1.5	1.3	0.7	1.9	0.0	0.0	1.6	2.5	0.6		0.1	0.7	-0.3	0.7
13	-0.4	1.2	-2.0	4.7	-1.3	-0.5	-2.6	4.6	1.1	2.1	-0.1	2.0	1.9	3.1	-0.1	2.1	-0.1	0.9	-1.7	2.3
14	0.9	1.6	0.2		-0.2	1.4	-1.4	0.4	1.4	2.3	0.1	1.5	2.2	3.0	1.1		0.7	1.0	0.4	
15	0.6	1.5	-0.1	11.3	-0.4	0.6	-1.2	14.7	1.6	3.0	-0.1	5.6	2.4	2.7	1.5	3.0	0.7	1.4	0.1	6.6
16	1.5	2.1	-0.1	1.1	0.7	1.7	-0.8	2.8	3.2	4.6	2.6	1.2	4.0	5.6	2.7	0.8	2.5	3.9	0.2	0.3
17	0.3	4.2	-1.3		-5.2	0.2	-9.6		2.4	6.4	-1.3		3.7	5.7	2.6		1.5	5.9	-0.7	
18	1.7	3.9	-2.0		-13.4	-2.9	-20.8		-1.5	2.8	-4.8		1.3	3.5	0.1		-2.1	3.3	-4.6	
19	0.2	2.0	-0.6	0.5	-8.9	-3.7	-21.3	0.9	-2.1	-1.2	-4.1	5.2	-0.1	2.3	-1.9	2.2	-3.6	0.5	-8.1	4.3
20	-2.3	-0.6	-3.0	2.2	-4.8	-2.4	-7.6	6.9	-1.2	-0.2	-1.7	10.0	-0.2	0.3	-0.4	0.9	-2.4	-0.3	-3.8	6.3
21	-0.8	0.4	-4.0	15.9	-2.9	-0.3	-6.2	4.5	1.7	3.9	-2.0	5.2	1.7	3.4	-0.9	9.6	-0.6	0.7	-3.8	7.7
22	0.6	3.0	-1.2		-1.3	2.2	-6.8	0.0	2.3	3.1	0.7	1.5	3.8	5.9	2.1	0.1	1.3	2.6	0.2	0.4
23	2.3	4.3	-0.3		2.0	3.2	-0.5	0.4	4.1	4.7	3.0		5.6	8.4	3.5		3.8	4.7	1.4	
24	5.0	7.3	3.1		4.2	5.0	2.9		5.4	7.3	4.1		6.1	8.8	4.6		6.0	7.6	3.8	
25	2.3	5.2	1.1		0.9	4.6	-1.6		3.0	6.6	0.5		3.4	5.6	2.7		2.8	6.0	0.8	
26	1.2	1.9	0.8	1.1	-0.5	0.1	-3.0	3.5	2.3	4.0	1.1	0.9	2.0	3.2	1.5		1.3	2.2	0.6	
27	0.7	1.4	0.0	0.5	0.3	2.4	-0.8	0.0	2.6	3.2	1.7	0.8	2.2	3.0	1.6	0.5	0.7	1.6	-0.3	
28	0.9	1.4	0.6		0.0	1.0	-1.5	3.0	2.4	3.2	1.3	2.2	2.5	3.4	0.9	0.2	1.4	2.0	0.8	5.2

Dag	Göteborg				Malmslätt				Lund				Växjö				Visby			
	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm	Temperatur, °C			Nederbörd, mm
	Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min		Medel	Max	Min	
1	-0.1	2.5	-3.5	5.8	-1.1	0.6	-4.5	0.5	0.8	2.2	-2.3	1.9	-0.8	0.3	-4.7		-0.1	0.6	-3.6	
2	2.4	3.5	1.0	0.2	1.4	2.7	0.5		1.7	3.8	0.9	0.1	1.3	2.7	0.3	0.5	1.1	2.2	-0.5	
3	1.9	4.5	0.0	0.1	1.1	5.2	-2.6	0.2	0.9	2.9	-1.5		-0.8	1.4	-1.7	0.0	0.7	2.0	-0.9	0.5
4	1.7	3.0	-0.5		0.1	1.1	-5.1		0.1	2.8	-1.3		-0.1	0.8	-0.8		-0.1	2.4	-1.9	
5	2.3	4.7	0.8	0.2	-0.5	0.6	-1.0		0.1	2.8	-2.0		-1.7	-0.2	-2.8		-1.2	1.2	-3.7	
6	3.4	5.7	0.8	1.2	0.3	1.7	-1.5		2.0	4.5	-0.8	0.1	-0.5	1.1	-2.2	0.4	-0.3	1.5	-3.0	0.4
7	4.3	5.5	2.7	10.6	2.0	3.3	0.5	6.1	4.6	6.1	2.1	7.8	1.6	2.1	0.9	9.8	2.7	3.9	1.2	3.8
8	3.9	5.9	3.0	10.9	3.0	4.2	1.7	3.3	4.3	6.3	3.3	10.0	2.3	3.9	1.6	3.5	3.2	4.7	1.6	
9	4.7	5.7	3.5	4.3	2.4	3.5	1.5	2.2	4.6	6.4	3.6	2.0	2.3	4.1	1.2	1.9	2.8	3.7	1.7	0.9
10	4.0	6.0	2.2	0.5	3.0	4.3	1.9	0.7	3.2	6.2	2.0		1.9	3.8	0.3	0.7	2.5	6.0	1.2	
11	4.0	5.8	2.4	1.0	1.3	3.1	-1.0	1.0	2.4	3.5	1.4									